A

Abdel-Malek Z, 485
Abeck D, 452
Adachi Y, 259
Ahn SK, 39
Aho S, 308
Ahrens T, 227
Ailhaud EM, 1116
Akiyama M, 133
Albers KM, 279
Al-Irani N, 472
Ameglio F, 1242
Ananthaswamy HN, 445
Anderson RR, 107, 538, 776
Andrew N, 269
Anhalt GJ, 781, 1236
Ansel JC, 565
Aoki N, 804
Applegate LA, 159
Arata J, 1079
Arbeit J, 57
Arlett CF, 354
Armstrong DKB, 702
Asada H, 616
Asagami C, 417
Asai N, 640
Aschauer H, 517
Asghar SS, 683
Aström A, 1109
Attila M, 705
Atzori F, 744
Aubery M, 650
Autio P, 396

B

Baba T, 582
Bacci S, 1134
Bachor C, 1045
Baden HP, 107
Baghestanian M, 689
Bagot M, 1245
Bahr GM, 77
Ballou LR, 634
Bata-Csorgo Z, 1072
Bath J, 218
Bauer JW, 1210
Beazley WD, 511, 545
Becher E, 50
Beissert S, 609
Bench G, 1198
Bennett-Jenson A, 696
Bensussan A, 1245
Berger G, 314
Berlien HP, 164
Berneburg M, 709
Bessou-Touya S, 1103
Bickenbach JR, 1045
Bielenberg DR, 864
Bigliardi PL, 297
Bigliardi-Qi M, 297
Biolcati G, 1242
Birch-Machin MA, 119, 896
Bissonnette R, 586
Blanchet S, 206
Blauvelt A, 781
Blessing M, 1145
Bleuel K, 1045
Boelsma E, 97
Boenders J, 936
Boggess D, 797
Bondesson L, 1010
Böni R, 173, 539
Boorsma DM, 222
Borradori L, 338
Bos JD, 645, 683, 850
Bosco D, 72
Botchkarev NV, 279
Botchkarev VA, 279, 941
Bouillon R, 551
Boukamp P, 1045
Boukhelifa M, 650
Bouloc A, 44, 1245
Boumsell L, 1245
Bouwes Bavinck JN, 696
Bowers B, 218
Boyce S, 485
Braathen LR, 1053
Branche R, 472
Brand CU, 1053
Brand RM, 1166
Braut-Boucher F, 650
Breuer J, 123
Brissette J, 609
Brna C, 1085
Broadus AE, 1122
Bröcker E-B, 1003
Brown LF, 1
Bruch-Gerharz D, 286
Brück M, 1235
Bruckner-Tuderman L, 528, 559, 744, 900, 1214
Brzoska T, 50
Bucana CD, 864
Buchli R, 410
Buechner S, 297
Buezo GF, 19
Bulfone-Paus S, 25
Burch JA, 233
Burchette J, 233
Burg G, 173, 497, 539
Büttner C, 1227

C

Cabañas C, 19
Can G, 485
Cass DL, 57
Cassidy L, 243
Castiglia D, 744
Cavani A, 44, 621
Chada KK, 1029
Chadwick CA, 936, 982
Chambon P, 206, 1109
Chan VT, 1153
Chang-Yi C, 733
Chapalain V, 169
Charue D, 1245
Chen C, 273
Chen G, 31
Chen S-C, 656
Chevalier G, 206
Chida K, 1098
Chimenti C, 1202
Chiu DS, 565
Chiu H-C, 656
Choi EH, 39
Christian Wolf H, 1129
Christiano AM, 133, 1210
Chu AC, 341
Claffey KP, 1
Cleaver JE, 791
Clingen PH, 354
Coad J, 1140
Cohen SS, 781
Concha M, 373
Connor JM, 269
Cook PW, 715
Cookinghan G, 259
Cooper KD, 31, 1072
Corinti S, 621
Coulomb B, 629
Courtellemont P, 373
Covello SP, 817, 1207
Cserhalmi-Friedman PB, 1210
Cullander C, 1198

D

D'amato M, 1242
D'armiento J, 1029
Dabelsteen E, 592
Dal Pozzo HP, 1202
Dalbiez-Gauthier C, 373
Darling T, 539
Darlington S, 896
Datta S, 1109
Davenport CV, 341
Davies E, 218
De Fabo EC, 706
De León LD, 828
Degitz K, 399
Degraef C, 349
Degreef H, 551
Dehart GW, 1015
Del Marmol V, 422
Denda M, 189, 784, 858, 873
Denfeld RW, 227
Descamps P, 914
Descamps V, 912
Detmar M, 1
Deybach J-C, 406
Dhouailly D, 206, 903
Di Colandrea T, 1029
Di W, 1109
Dicolandrea T, 1236
Dierickx CC, 107
Digiovanni J, 973
Dlugosz AA, 762
Donawho CK, 864
Donois E, 422
Doré J-F, 472
Dormoy A, 360
Doukas A, 925
Downie MMT, 199
Dreyer BE, 1122
Dubertret L, 629
Ducarme M, 349
Duell EA, 434
Dummer R, 497
Duncan KO, 1220

E

Eady RAJ, 893
Egelrud T, 97
Eichmüller S, 7
Eisenmenger M, 689
Ekanayake-Mudiyanselage S, 517
Elbe-Bürger A, 503
Elder JT, 1092
Elg P, 396
Elias PM, 429, 440, 722, 784, 858, 873, 1198
Elicker BM, 1
Emmert S, 791
Erkko P, 396

F

Falabella A, 1193
Falanga V, 1193
Falo Jr LD, 183
Fang KS, 751
Farboud B, 751
Fargnoli M, 1202
Farinelli WA, 107
Farooqui J, 485
Farrell AM, 722, 784
Fastrich M, 50
Faurskov Nielson O, 1129
Favier B, 206
Favre B, 338
Favre M, 333, 542, 913
Fearnley DB, 841
Fehsel K, 149
Feingold KR, 39, 429, 440, 722, 784, 858, 873, 1198
Ferreira F, 1178
Fidler IJ, 864
Fiedorowicz J, 528
Filippi M, 175
Findlay K, 1015
Fischer G, 1085
Fisher GJ, 434, 1109
Fisher ME, 107
Flanagan N, 119
Floeth M, 528
Flotte TJ, 107, 925
Foedinger D, 503
Fokan D, 349
Foley J, 1122
Font J, 650
Forslind B, 97
Foster T, 452
Fox FE, 327
Franchi J, 472
Frank S, 1058, 1065
French JE, 445
Frenk E, 159
Fryer AA, 218
Fuchs PG, 696
Fujii S, 1034
Fujimoto A, 919
Fukumaru S, 1249
Fukumura D, 1
Funk R, 464
Furue M, 1232
Furumoto H, 417
Furuzawa-Carballeda J, 828

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

A

Abdel-Malek Z, 485
Abeck D, 452
Adachi Y, 259
Ahn SK, 39
Aho S, 308
Ahrens T, 227
Ailhaud EM, 1116
Akiyama M, 133
Albers KM, 279
Al-Irani N, 472
Ameglio F, 1242
Ananthaswamy HN, 445
Anderson RR, 107, 538, 776
Andrew N, 269
Anhalt GJ, 781, 1236
Ansel JC, 565
Aoki N, 804
Applegate LA, 159
Arata J, 1079
Arbeit J, 57
Arlett CF, 354
Armstrong DKB, 702
Asada H, 616
Asagami C, 417
Asai N, 640
Aschauer H, 517
Asghar SS, 683
Aström A, 1109
Attila M, 705
Atzori F, 744
Aubery M, 650
Autio P, 396

B

Baba T, 582
Bacci S, 1134
Bachor C, 1045
Baden HP, 107
Baghestanian M, 689
Bagot M, 1245
Bahr GM, 77
Ballou LR, 634
Bata-Csorgo Z, 1072
Bath J, 218
Bauer JW, 1210
Beazley WD, 511, 545
Becher E, 50
Beissert S, 609
Bench G, 1198
Bennett-Jenson A, 696
Bensussan A, 1245
Berger G, 314
Berlien HP, 164
Berneburg M, 709
Bessou-Touya S, 1103
Bickenbach JR, 1045
Bielenberg DR, 864
Bigliardi PL, 297
Bigliardi-Qi M, 297
Biolcati G, 1242
Birch-Machin MA, 119, 896
Bissonnette R, 586
Blanchet S, 206
Blauvelt A, 781
Blessing M, 1145
Bleuel K, 1045
Boelsma E, 97
Boenders J, 936
Boggess D, 797
Bondesson L, 1010
Böni R, 173, 539
Boorsma DM, 222
Borradori L, 338
Bos JD, 645, 683, 850
Bosco D, 72
Botchkarev NV, 279
Botchkarev VA, 279, 941
Bouillon R, 551
Boukamp P, 1045
Boukhelifa M, 650
Bouloc A, 44, 1245
Boumsell L, 1245
Bouwes Bavinck JN, 696
Bowers B, 218
Boyce S, 485
Braathen LR, 1053
Branche R, 472
Brand CU, 1053
Brand RM, 1166
Braut-Boucher F, 650
Breuer J, 123
Brissette J, 609
Brna C, 1085
Broadus AE, 1122
Bröcker E-B, 1003
Brown LF, 1
Bruch-Gerharz D, 286
Brück M, 1235
Bruckner-Tuderman L, 528, 559, 744, 900, 1214
Brzoska T, 50
Bucana CD, 864
Buchli R, 410
Buechner S, 297
Buezo GF, 19
Bulfone-Paus S, 25
Burch JA, 233
Burchette J, 233
Burg G, 173, 497, 539
Büttner C, 1227

C

Cabañas C, 19
Can G, 485
Cass DL, 57
Cassidy L, 243
Castiglia D, 744
Cavani A, 44, 621
Chada KK, 1029
Chadwick CA, 936, 982
Chambon P, 206, 1109
Chan VT, 1153
Chang-Yi C, 733
Chapalain V, 169
Charue D, 1245
Chen C, 273
Chen G, 31
Chen S-C, 656
Chevalier G, 206
Chida K, 1098
Chimenti C, 1202
Chiu DS, 565
Chiu H-C, 656
Choi EH, 39
Christian Wolf H, 1129
Christiano AM, 133, 1210
Chu AC, 341
Claffey KP, 1
Cleaver JE, 791
Clingen PH, 354
Coad J, 1140
Cohen SS, 781
Concha M, 373
Connor JM, 269
Cook PW, 715
Cookinghan G, 259
Cooper KD, 31, 1072
Corinti S, 621
Coulomb B, 629
Courtellemont P, 373
Covello SP, 817, 1207
Cserhalmi-Friedman PB, 1210
Cullander C, 1198

D

D'amato M, 1242
D'armiento J, 1029
Dabelsteen E, 592
Dal Pozzo HP, 1202
Dalbiez-Gauthier C, 373
Darling T, 539
Darlington S, 896
Datta S, 1109
Davenport CV, 341
Davies E, 218
De Fabo EC, 706
De León LD, 828
Degitz K, 399
Degraef C, 349
Degreef H, 551
Dehart GW, 1015
Del Marmol V, 422
Denda M, 189, 784, 858, 873
Denfeld RW, 227
Descamps P, 914
Descamps V, 912
Detmar M, 1
Deybach J-C, 406
Dhouailly D, 206, 903
Di Colandrea T, 1029
Di W, 1109
Dicolandrea T, 1236
Dierickx CC, 107
Digiovanni J, 973
Dlugosz AA, 762
Donawho CK, 864
Donois E, 422
Doré J-F, 472
Dormoy A, 360
Doukas A, 925
Downie MMT, 199
Dreyer BE, 1122
Dubertret L, 629
Ducarme M, 349
Duell EA, 434
Dummer R, 497
Duncan KO, 1220

E

Eady RAJ, 893
Egelrud T, 97
Eichmüller S, 7
Eisenmenger M, 689
Ekanayake-Mudiyanselage S, 517
Elbe-Bürger A, 503
Elder JT, 1092
Elg P, 396
Elias PM, 429, 440, 722, 784, 858, 873, 1198
Elicker BM, 1
Emmert S, 791
Erkko P, 396

F

Falabella A, 1193
Falanga V, 1193
Falo Jr LD, 183
Fang KS, 751
Farboud B, 751
Fargnoli M, 1202
Farinelli WA, 107
Farooqui J, 485
Farrell AM, 722, 784
Fastrich M, 50
Faurskov Nielson O, 1129
Favier B, 206
Favre B, 338
Favre M, 333, 542, 913
Fearnley DB, 841
Fehsel K, 149
Feingold KR, 39, 429, 440, 722, 784, 858, 873, 1198
Ferreira F, 1178
Fidler IJ, 864
Fiedorowicz J, 528
Filippi M, 175
Findlay K, 1015
Fischer G, 1085
Fisher GJ, 434, 1109
Fisher ME, 107
Flanagan N, 119
Floeth M, 528
Flotte TJ, 107, 925
Foedinger D, 503
Fokan D, 349
Foley J, 1122
Font J, 650
Forslind B, 97
Foster T, 452
Fox FE, 327
Franchi J, 472
Frank S, 1058, 1065
French JE, 445
Frenk E, 159
Fryer AA, 218
Fuchs PG, 696
Fujii S, 1034
Fujimoto A, 919
Fukumaru S, 1249
Fukumura D, 1
Funk R, 464
Furue M, 1232
Furumoto H, 417
Furuzawa-Carballeda J, 828

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

G

Gache Y, 914
Galligan P, 524
Gallo RL, 739
Gallo SA, 457
Gangi S, 1010
Garbe C, 1235
García-Díez A, 19
Garfield J, 492
Garmyn M, 551
Geertsen RC, 497
Ghadially R, 784
Ghanem G, 422
Ghannadan M, 689
Ghazizadeh S, 492
Ghim S, 696
Giani M, 621
Gibran NS, 565
Gill P, 485
Gille J, 1160
Gilliam CA, 31
Gillies R, 776
Gilliland K, 390
Gillitzer R, 1003
Giner M, 650
Girolomoni G, 621
Giudice GJ, 93
Gniadecka M, 1129
Goebeler M, 1003
Goldwyn S, 380
Gómez M, 19
González S, 538
Goorha S, 634
Goos M, 464, 605
Gouya L, 406
Grabbe J, 1227
Grabbe S, 609
Grabowski GA, 485
Gräfe A, 1235
Grando SA, 410
Granlund H, 396
Granstein RD, 609
Green KJ, 1236
Green MHL, 354
Greenall M, 139
Greenberg AS, 1193
Greenberg B, 410
Grenz H, 822
Grewe M, 354
Grichnik JM, 233
Griffiths C, 1116
Griso D, 1242
Griswold DE, 86
Grøn B, 592
Gross GE, 164, 696
Grote M, 1178
Grunfield C, 722
Guerra E, 621
Gutgesell C, 1184
Guttmacher AE, 83
Guy RH, 320

H

Haase K, 1166
Haeghen YV, 835
Hagen E, 7, 941
Haines DC, 292
Hamada K, 727
Hamm H, 896
Hammami-Hauasli N, 528, 1214
Hammerberg C, 1072
Hanada K, 582
Hanley K, 429, 440
Hannah TL, 1166
Harrington R, 492
Harris IR, 722
Harrison GI, 982
Harrison M, 57
Hart Derek NJ, 841
Hartmeyer M, 50
Harwood CA, 123
Hashimoto I, 534, 582
Hashimoto K, 879
Hashimoto K, 616
Hashimoto T, 1236
Hatayama I, 337
Hatta N, 919
Hawke JLM, 123
Hayakawa A, 640
Hayashi Y, 1189
Hayflick SJ, 83
Heagerty AHM, 218
Heald PW, 1220
Healy E, 119, 896
Heenen M, 174, 349
Heidenheim M, 1129
Heiser A, 841
Hengge UR, 605
Henz BM, 1227
Herndier BG, 781
Herouy Y, 822
Herrero C, 406
Herrlich P, 227
Hess M, 1178
Hibberts NA, 511, 545
Hibbs AR, 239
Hibino T, 367, 948
Hiemstra PS, 996
Higgins C, 817
Higo R, 973
Hiragun T, 213
Hiraiwa N, 930
Hofbauer G, 173
Hofbauer GFL, 497, 539
Hoffman R, 1140
Höfler V, 1202
Hofmann A, 164
Hofmann U, 7, 25
Hojgaard Christensen D, 1129
Holmes SC, 896
Honda H, 174
Hoon DSB, 662, 1034
Hopkinson SB, 1015
Horkay I, 541
Horvat R, 503
Hoshfi Y, 417
Hosoi J, 609
Houdek P, 251
Hovnanian A, 83
Huang SKS, 662, 1034
Hughes AE, 702
Huh N, 128
Hui SW, 457
Hultquist K, 1153
Hunger R, 1053
Hursting SD, 292
Hutchinson PE, 218
Huttner KM, 739

I

Ichii-Jones F, 218
Iizuka H, 174
Ikuta T, 1098
Imamura T, 963
Imayama S, 1232
Inamatsu M, 767
Irie RF, 1034
Irie S, 930
Irvine AD, 1207
Ishida-Yamamoto A, 174, 534
Ishihara T, 417
Ishiko A, 93
Isseroff RR, 751
Ito K, 804
Ito M, 804
Iversen P L, 1166
Iwamori M, 973
Iwanari H, 767
Iyer Subramanian, 1172
Iyer Sudha, 64

J

Jablonska S, 333, 542, 913
Jackson IJ, 119
Jacobs M, 955
Jacques JP, 119
Jain RK, 1
Jansen CT, 705
Jaunin F, 338
Jee S-H, 656
Jensen J-M, 517
Jesus ND, 333
Jiang S, 39
Jiang Y, 429
Jivestog S, 757
Johansson O, 114, 1010
Johnson PG, 457
Jones JCR, 1015
Jones PW, 218
Jonker A, 989
Jonkman MF, 1210
Jung T, 1184
Junghans V, 1184

K

Kado Y, 1233
Kagehara M, 973
Kaiser S, 1145
Kakinuma H, 1239
Kalia YN, 320
Kameyoshi Y, 213
Kaneko T, 337
Kanekura T, 634
Kang K, 31
Kanzaki H, 1079
Kanzaki T, 1249
Karashima T, 1236
Kargül G, 689
Karlen S, 1053
Kastner P, 206
Kato M, 640
Kato T, 963
Katz SI, 44
Kaufmann R, 1160
Kawabe S, 1098
Kealey T, 139, 199
Keller S, 1202
Kempenaar JA, 97
Khalik M, 1160
Khan SG, 791
Kidoguchi K, 1189
Kiguchi K, 973
Kindzelskii AL, 154, 259
King Jr LE, 797
Kirtikara K, 634
Kiyokawa C, 1236
Kizawa K, 879
Kobayashi K, 1249
Kobayashi T, 616
Kobayashi Y, 1232
Kochevar IE, 776
Koerten HK, 97, 835
Kolb N, 1065
Kolb RM, 678
Kolb-Bachofen V, 149, 286
Kollias N, 776, 925
Kömüves LG, 429, 440
Kon A, 534
König V, 1160
Koomen CW, 645
Kopp T, 7
Korge BP, 896, 900
Kósa Á, 541
Koyama J, 189, 858
Koyama Y, 930
Kozaki K, 640
Kraemer KH, 791
Kramer-Stickland K, 302
Kramps J, 996
Kremer H, 1224
Kripke ML, 864
Krischel V, 286
Kröncke K-D, 286
Krötzsch-Gómez FE, 828
Krutmann J, 149, 354, 709
Kubitscheck U, 559
Kubo T, 1233
Kuhn A, 149
Kunstfield R, 1040
Kuo M-L, 656
Kuramoto M, 858
Kuroda K, 1023
Kuroki T, 128, 1098
Kusakabe M, 930
Küster W, 900, 1214
Kusubata M, 930
Kusuda S, 733

L

Labarthe M-P, 72
Labreze C, 169
Labrie F, 273
Lackner M, 503
Laihia JK, 705
Lam C, 77
Lambert J, 835
Lamme EN, 850, 989
Lane EB, 817, 893, 1224
Langbein L, 955
Lanyon GW, 541
Lanyon WG, 269
Laplace E, 314
Largman C, 57
Latal D, 689
Lauerma AI, 396
Laugier P, 314
Laulederkind SJF, 634
Lavrijsen APM, 1224
Lawry MA, 410
Le Fur I, 708
Lear JT, 218
Lebreton C, 629
Lebrun P, 1116
Lebwohl M, 380
Lecha M, 406
Lechleitner S, 1040
Lechner K, 689
Lee SH, 39
Lee S, 925
Lee Y-S, 762
Lefaix J-L, 314
Legerski R, 791
Lehmann P, 149
Leigh IM, 123, 817, 955
Leonard EJ, 573
Lépinard C, 914
Levy HL, 791

Lewin GR, 279
Li G, 194
Li L, 791
Li X-Y, 1109
Li X, 273
Liang Y, 114, 1010
Liebler DC, 302
Liepe IJ, 239
Limat A, 338
Lin T-YD, 107
Liotta L, 539
Listwan P, 524
Litt M, 83
Liu P-Y, 1010
Liu W, 640
Longely BJ, 1122
Löntz W, 1010
Loots MAM, 850
Loughlin SM, 445
Luan J, 573
Lüftl M, 399
Luger TA, 50
Lui H, 586
Lund CH, 320

M

Mackenzie I, 592
Mackie RM, 269
Macrí A, 1242
Madlener M, 1058
Mahe E, 912
Mahler JF, 445
Mahoney MG, 308
Mai BH, 227
Maibach HI, 385
Maingi C, 817
Majewski S, 333, 542, 913
Majzoub JA, 440
Makino H, 1079
Malefyt RW, 645
Malejczyk M, 333
Man M-Q, 784
Mandel U, 592
Manolio S, 497
Manuskiatti W, 107
Maresca V, 1103
Marikar Y, 434
Mariman ECM, 1224
Marteau C, 472
Martin P, 390
Mascaro JM, 406
Masuda Y, 858
Masui S, 963
Masunaga T, 93
Matsumoto K, 887
Matsushita S, 1249
Matsuzaki T, 767
Maurer D, 1178
Mauro T, 1198
May AE, 822
Mcauliffe DJ, 925
Mcelwee KJ, 797
Mcgregor JM, 123
Mckenna KE, 702, 1207
Mckinnon W, 83
Mclean DI, 586
Mclean WHI, 817, 1207, 1224
Mclellan AD, 841
Meda P, 72
Medalie DA, 810
Mei D, 621
Meingasser JG, 517
Meingassner JH, 77
Meis J, 996
Mekkes JR, 850
Melchers D, 1224
Mellerio JE, 893
Memon RA, 722
Mempel M, 452
Meneguzzi G, 914
Menezes S, 629
Menrad A, 598
Mercier M, 169
Messenger AG, 727, 896
Meuli M, 559
Michaille J-J, 206
Michel G, 1116
Middelkoop E, 850, 989
Mildner M, 907
Minder EI, 406
Minor J, 154
Miura N, 582
Miyagawa S, 1189
Moll I, 251, 1145
Moll J, 227
Moll R, 251
Mommaas AM, 97, 835
Monsky W, 1
Moore EC, 154, 259
Moore MR, 541
Moran M, 776
Morgan JR, 810
Mori O, 1236
Morita E, 213
Morita R, 919
Morita Y, 1079
Morris JF, 341
Morton DL, 662, 1034
Mossbacher U, 1085
Moulon C, 360
Mudde G, 77
Muglia LJ, 440
Mulder PLJM, 996
Müller FB, 900
Müller-Röver S, 7
Munro CS, 896, 1207
Muramatsu T, 582
Muto M, 417

N

Naeyaert JM, 835
Naganuma A, 582
Nagaravapu U, 1153
Nakamura K, 417
Nakanishi J, 189
Nakashima I, 640
Nanney LB, 573
Narita T, 337
Natter S, 1178
Ndoye A, 410
Neumann C, 1184, 1235
Neuvonen K, 705
Nevin NC, 1207
Newsholme SJ, 86
Nguyen VT, 410
Nicol K, 1145
Nie Z, 1236
Nikaido O, 936, 982
Ning Zhang D, 1153
Nishikawa T, 93, 887, 1233, 1236, 1239
Niu Z, 327
Nizze AJ, 1034
Noel J-C, 349
Nomura J, 189
Nomura K, 337
Nonaka S, 1233
Nonato LB, 320
Noonan F, 706
Nordlind K, 1010
Nordlund J, 485
Norgauer J, 822
Nuccitelli R, 751

O

Ochoa SM, 1193
Ogo M, 367, 948
Oh HS, 175
Ohashi T, 930
Ohba M, 1098
Öhman H, 674
Okada N, 683
Okamoto T, 662, 1034
Oku T, 1249
Okumura H, 616
Olerud JE, 565
Ollier WER, 218
Olsson MJ, 1010
Onderwater J, 835
Orth G, 333, 542, 913
Ortonne JP, 914
Osborne J, 218
Oseroff AR, 457
Oshima H, 963
Owaribe K, 528
Ozawa K, 963
Ozturk M, 472

P

Pack S, 539
Pain C, 1103
Pallon J, 97
Pannizon R, 159
Paragh G, 541
Parent D, 349
Park W-S, 539
Parsons PG, 936
Pasanen P, 705
Pasch MC, 683
Paulin Y, 650
Paus R, 7, 25, 175, 279, 545, 598, 941
Pavel S, 678
Pavelka M, 1178
Pedeux R, 472
Pedritis AK, 696
Péguet-Navarro J, 373
Pehamberger H, 1085
Pellicier F, 472
Peñas PF, 19
Peris H, 1202
Peritz AE, 1172
Perkins SN, 292
Peters R, 559
Petit-Frère C, 354
Petkovich M, 434
Petty III, 259
Petty H, 154
Petzelbauer P, 1040
Pfeilschifter J, 1058, 1065
Pfister H, 164, 696
Pfützner W, 605
Phang JM, 292
Philbrick WM, 1122
Philipp A, 1145
Picardo M, 1103
Pichon J, 650
Piepkorn M, 715
Pirrotta L, 621
Pittelkow MR, 511, 715
Platz A, 757
Plewig G, 399
Polis S, 573
Ponec M, 97
Ponta H, 227
Pornschlegel G, 822
Porter-Gill PA, 485
Posteraro P, 744
Potten CS, 936, 982
Pradier O, 349
Praetzel S, 955
Preissner KT, 822
Proby CM, 123
Proksch E, 517
Protschka M, 1145
Puddu P, 621
Pulkkinen L, 534, 887, 1210, 1233, 1239, 1247
Pünter C, 896
Puy H, 406

Q

Quackenbush E, 791
Quiróz-Hernández E, 828

R

Raghunath M, 559, 1214
Ragnarsson-Olding B, 757
Rajadhyaksha M, 538
Ramsden J, 982
Ramsden JM, 936
Randall VA, 727
Randolph RK, 478
Rappersberger K, 503
Rattis F-M, 373
Ray R, 64
Reardon JT, 791
Rees JL, 119, 896
Reich K, 1235
Reinberg AE, 708
Reinhold U, 464
Reitamo S, 396
Remenyik É, 541
Remitz A, 396
Rendi M, 907
Renkl AC, 227
Reyes-Márquez R, 828
Richard L, 1
Richmond A, 573
Ring J, 452
Ringborg U, 757
Rios L, 19
Rissanen J, 396
Rivier M, 1116
Robert AB, 1193
Röcken M, 399
Rodriguez JG, 410
Rogers MA, 169, 955
Rogers S, 119
Romagnoli P, 1134
Romero LI, 1153
Romero-Graillet C, 914
Rook AH, 327
Roop DR, 1220
Roscoe DL, 586
Rosdahl I, 119
Rosenstein B, 380
Rosenthal DS, 64
Rothnagel JA, 524
Rouan F, 1210
Roza L, 354, 678
Rückert R, 25
Rüfenacht U, 406
Ruffi T, 297
Ruhrberg C, 1236
Ruiter DJ, 1224
Ruzicka T, 149, 286

S

Safonova I, 1116
Saheki T, 1249
Saida T, 887
Salomon D, 72
Sancar A, 791
Sanchez R, 864
Sánchez-Madrid F, 19
Saner C, 57
Santana E, 1172
Sato A, 1079
Sato J, 189, 784, 858, 873
Saurat J-H, 72, 338
Sawamura D, 582
Scaletta C, 159
Schäcke H, 528
Schalkwijk F, 996
Schallreuter KU, 511, 545
Schandene L, 349
Scheper RJ, 222
Schilli MB, 598
Schmidt H, 251
Schmidt M, 817
Schmidt T, 452
Schmitt D, 373
Schmook FP, 517
Schnapp G, 1045
Schneider TD, 791
Schneider-Yin X, 406
Schnopp C, 452
Scholzen T, 50
Schön MP, 1
Schöpf E, 227, 822
Schothorst AA, 678
Schreiber WE, 586
Schubert M, 744
Schwandt A, 668
Schwarz T, 50, 609
Schweizer J, 169, 955
Schwindt DA, 385
Scott Herron G, 1153
Scott GA, 243
Segaert S, 551
Seiberler S, 1178
Sepp NT, 1227
Shaya S, 154, 259
Shea CR, 233
Shemanko CS, 893
Shimizu H, 93, 133, 887, 1233, 1239
Shimizu T, 417
Shinkai H, 1023
Shirai T, 1189
Shiraishi M, 337
Shirmacher P, 1145
Sidderas-Haddad E, 1198
Siddiqui S, 119
Sillaber C, 689
Siller GM, 524
Simbulan-Rosenthal CMG, 64
Simon JC, 227
Simon M, 478
Simonart T, 349
Singh SM, 273
Skeel A, 573
Smart RC, 175
Smit NPM, 678
Smith AG, 218
Smith FJD, 817, 1207
Smith R, 119
Smith W, 64
Smulson ME, 64
Smythe ChDW, 139
Sohendra N, 164
Soma T, 948
Sonego G, 744
Sorg RV, 841
Soyer G, 1202
Spadafora A, 914
Spandau U, 1003
Spink PJ, 123
Spoonde A, 64
Stanley JR, 308
Stark S, 696
Starkey S, 1140
Steijlen PM, 119, 1224
Stelnicki EJ, 57
Stenn K, 175
Stern JB, 173
Sterniczky B, 503
Stetter C, 822
Stingl G, 1085, 1178
Stockfleth E, 696
Stoll SW, 1092
Storkus WJ, 183
Strange RC, 218
Stratigos A, 609
Streilein JW, 1134
Strohal R, 1085
Suga Y, 1220
Sundberg JP, 797
Surentheran T, 123
Surlève-Bazeille JE, 169, 422, 1103
Suschek C, 286
Suzuki J, 948
Suzuki S, 963
Suzuki S, 963
Suzumori K, 1239
Swanson NN, 511
Szabo SK, 1072
Szepfalusi Z, 1178
Szwejbka P, 668

T

Tada J, 1079
Taichman LB, 492
Taïeb A, 169, 1103
Takahashi M, 733
Takahashi M, 640
Takahashi M, 417
Takahashi T, 367, 948
Takaishi M, 128
Takata M, 919
Takata Y, 128
Takehara K, 919
Takimoto H, 963
Takizawa Y, 887, 1233, 1239
Tamai K, 582
Tanaka T, 213
Taylor TD, 83
Tennant RW, 445
Tensen CP, 222
Terracina M, 744
Teunissen MBM, 645
Tezuka T, 733
Thélu J, 903
Thiboutot D, 390
Thomson W, 218
Thornton MJ, 727
Tidman MJ, 893
Tidman N, 955
Timmerman AJ, 678
Tobia A, 327
Tobin DJ, 545, 941
Todd RF, 154, 259
Toksoy A, 1003
Tompkins RG, 810
Tootell E, 31
Traupe H, 896
Trempus CS, 445
Tron VA, 194
Trotter MJ, 194
Trüeb RM, 338, 528
Tschachler E, 708, 907
Tseng C-R, 656
Tsuchimoto S, 879
Tsuchiya T, 858, 873
Tsuji K, 1079
Tsukifuji R, 1023
Tuomisto L, 705
Turner R, 119
Tüting T, 183
Tzimas MN, 86

U

Uchi H, 1232
Uchiwa H, 879
Ueda E, 1098
Uitto J, 308, 534, 817, 887, 1172, 1207, 1210, 1233, 1239, 1247
Unsöld C, 559
Usui ML, 565

V

Vahlquist A, 674
Valent P, 689, 1178
Valenta R, 1178
Van Beek P, 222
Van Bergen BH, 996
Van Der Schans GP, 678
Van Der Stoop PM, 222
Van Der Veen C, 7, 25, 279
Van Leeuwen RTJ, 989
Van Marle J, 989
Van Ruissen HA, 996
Van Vlijmen-Willems FGM, 996
Van Vooren J-P, 349
Vancoillie G, 835
Vanscheidt W, 822
Velasco P, 1
Vente C, 1235
Verhofstad A, 1010
Vermeer MH, 222
Viallet JP, 903
Vicanová J, 97
Vogel JC, 605
Volikos L, 390
Voorhees JJ, 434, 1109
Vormwald-Dogan V, 1045
Vortmeyer AO, 173, 539

W

Wagner C, 464
Wagner SN, 464
Walchshofer S, 689
Walker SL, 912
Wang L, 1029
Wang M-H, 573
Wang Y, 380
Wang ZQ, 434
Wantyghem J, 650
Watt FM, 1236
Webb EF, 86
Webber RJ, 410
Wechsler J, 1245
Wei H, 380
Weidinger S, 452
Weinstein MD, 781
Weiss JM, 227
Weltzien HU, 360
Wenczl E, 678
Weninger W, 907
Werner ER, 1065
Werner S, 1058
Werther GA, 239
Wessel S, 1129
White PJ, 239
Wichlas S, 1178
Wieland U, 164
Wierenga EA, 645
Wikonkál N, 541
Wild D, 360
Wilhelm KP, 385
Wille J, 1029
Willemze R, 222
Williams ML, 429, 440, 784
Williams M, 605
Wimazal F, 689
Wingens M, 996
Winter H, 169, 955
Wolff K, 503, 1040
Wood GS, 668
Wood JM, 545
Wraight CJ, 239
Wysolmerski JJ, 1122

X

Xiao J-H, 1109

Y

Yamaguchi Y, 1193
Yamamoto S, 213
Yamamura M, 1079
Yamanishi K, 1098
Yanagi K, 1189
Yancey KB, 93
Yáñez-Mo M, 19
Yawalkar N, 1053
Yengi L, 218
Yi H, 640
Yoneda K, 133
Yoon K, 1172
Yoshida Y, 1072
Yoshikawa K, 616
Yoshiki A, 930
Yoshioka A, 1189
Yoshizato K, 767
Yotsumoto S, 1249
Young AR, 912, 936, 982
Yue F-Y, 497
Yuspa SH, 762

Z

Zambruno G, 744
Zeegelaar J, 850
Zeeuwen I, 996
Zeng H, 586
Zettersten E, 784
Zhang X, 380
Zhao X, 1092
Zhou L, 349
Zhou L, 1193
Zhou X, 194
Zhuang Z, 173, 539
Zia S, 410
Zöller M, 464
Zonana J, 83
Zone JJ, 93, 887
Zunic M, 77

A

Aberrant Integrin (CR4; $\alpha_x\beta_2$; CD11c/CD18) Oscillations on Neutrophils in a Mild Form of Pyoderma Gangrenosum, Shaya S, Kindzelskii AL, Minor J, Moore EC, Todd RF, Petty HR, 154

Aberrant Neutrophil Tracking and Metabolic Oscillations in Severe Pyoderma Gangrenosum, Adachi Y, Kindzelskii AL, Cookingham G, Shaya S, Moore EC, Todd RF, Petty HR, 259

Aberrant Timing in Epidermal Expression of Inducible Nitric Oxide Synthase After UV Irradiation in Cutaneous Lupus Erythematosus, Kuhn A, Fehsel K, Lehmann P, Krutmann J, Ruzicka T, Kolb-Bachofen V, 149

Abnormal Cornified Cell Envelope Formation in Mutilating Palmoplantar Keratoderma Unrelated to Epidermal Differentiation Complex, Akiyama M, Christiano AM, Yoneda K, Shimizu H, 133

Abstracts, International Workshop on Neurobiology of the Skin, 1997, 341

Acetylcholine receptors, muscarinic, 410

Acetyl-CoA carboxylase, in human skin appendages, 139

Acne
- 17β-hydroxysteroid dehydrogenase isozymes, 390
- novel 5α-reductase inhibitors, 273

Actin
- in dendrite formation in melanocytes, 243
- myosin V colocalization in melanocytes, 835

Activation-Dependent Modulation of Hyaluronate-Receptor Expression and of Hyaluronate-Avidity by Human Monocytes, Weiss JM, Renkl AC, Ahrens T, Moll J, Mai BH, Denfeld RW, Schöpf E, Ponta H, Herrlich P, Simon JC, 227

Activity of 17β-(N-Alkyl/arylformamido) and 17β-[(N-Alkyl/aryl) alkyl/arylamido]-4-methyl-4-aza-5α-androstan-3-ones and 5α-Reductase Inhibitors in the Hamster Flank Organ and Ear, Chen C, Li X, Singh SM, Labrie F, 273

Activity of HMG-CoA Reductase and Acetyl-CoA Carboxylase in Human Apocrine Sweat Glands, Sebaceous Glands, and Hair Follicles Is Regulated by Phosphorylation and by Exogenous Cholesterol, Smythe CDW, Greenall M, Kealey T, 139

Acute Barrier Perturbation Abolishes the Ca^{2+} and K^+ Gradients in Murine Epidermis: Quantitative Measurement Using PIXE, Mauro T, Bench G, Sidderas-Haddad E, Feingold K, Elias P, Cullander C, 1198

Adhesion
- keratinocyte–lymphocyte, 650
- molecules, in hypertrophic scars, 828
- *Staphylococcus aureus*, 452

Aging
- endogenous skin fluorescence, 776
- mitochondrial DNA changes, 709
- structural protein and hydration changes, 1129

17β-[(N-Alkyl/aryl) alkyl/arylamido]-4-methyl-4-aza-5α-androstan-3-ones, 273

17β-(N-Alkyl/arylformamido)-4-methyl-4-aza-5α-androstan-3-ones, 273

Allergic contact dermatitis
- effects of MDP(Lysyl)GDP, 77
- nickel-specific, 360, 621
- roles of TNF-α and IL-4, 86

Alopecia
- areata, 25, 797
- chemotherapy-induced, 598

Alterations in Cholesterol Sulfate and its Biosynthetic Enzyme During Multistage Carcinogenesis in Mouse Skin, Kiguchi K, Kagehara M, Higo R, Iwamori M, DiGiovanni, J, 973

Altered Expression of Epithelial Cell Surface Glycoconjugates and Intermediate Filaments at the Margins of Mucosal Wounds, Dabelsteen E, Grøn B, Mandel U, MacKenzie I, 592

Amniotic fluid, epidermodysplasia verruciformis-associated HPV, 333

AMP-activated protein kinase, in human skin appendages, 139

Amphiregulin, 616, 715

Amyloidosis, primary cutaneous, apolipoprotein E, 417

Anabolic steroids, in wound healing, 1193

Analysis of Apoptotic Cell Death in Human Hair Follicles *In Vivo* and *In Vitro*, Soma T, Ogo M, Suzuki J, Takahashi T, Hibino T, 948

Anchorage-Dependent Expression of the Vitamin D Receptor in Normal Human Keratinocytes, Segaert S, Garmyn M, Degreef H, Bouillon R, 551

Androgen-Dependent Beard Dermal Papilla Cells Secrete Autocrine Growth Factor(s) in Response to Testosterone Unlike Scalp Cells, Thornton MJ, Hamada K, Messenger AG, Randall VA, 727

Androgens, novel 5α-reductase inhibitors, 273

Angiofibromas, MEN1 mutations, 539

Angiogenesis
- effects of retinoids, 907
- hepatocyte growth factor/scatter factor and, 1160
- matrix metalloproteinases and, 1153
- in skin of VEGF transgenic mice, 1
- UVB-induced cutaneous, 864

Annular epidermolytic ichthyosis, 1220

Antibody Responses to Melanoma/Melanocyte Autoantigens in Melanoma Patients, Huang SKS, Okamoto T, Morton DL, Hoon DSB, 662

Antigen-presenting cells *see* Langerhans cells; Macrophages/monocytes

Anti-leukoprotease (ALP, SLP1), 996

Antimicrobial Peptides: An Emerging Concept in Cutaneous Biology, Gallo RL, Huttner KM, 739

Antioxidants, in chimeric human epidermal reconstructs, 1103

Anti-Tyrosinase-Related Protein-2 Immune Response in Vitiligo Patients and Melanoma Patients Receiving Active-Specific Immunotherapy, Okamoto T, Irie RF, Fujii S, Huang SKS, Nizze AJ, Morton DL, Hoon DSB, 1034

Apocrine sweat glands, lipid metabolism, 139

Apolipoprotein E is Present in Primary Localized Cutaneous Amyloidosis, Furumoto H, Shimizu T, Asagami C, Muto M, Takahashi M, Hoshii Y, Ishihara T, Nakamura K, 417

Apoptosis
- in chemotherapy-induced alopecia, 598
- curcumin-induced, 656
- hair bulb melanocytes, 941
- in hair follicles, 948
- hypericin-induced, 327
- in Kaposi's sarcoma cells, 349
- sulfur mustard-induced, 64
- UVB-induced, 373, 582
- UV-mediated *p53* and *Bcl-2* regulation, 380

Are His63Asp or Cys282Tyr HFE Mutations Associated with Porphyria Cutanea Tarda? Data of Patients from Central and Southern Italy, *Letter*, D'Amato M, Macri A, Griso D, Biolcati G, Ameglio F, 1242

Atopic dermatitis
- epidermal cytokines, 1184
- *Hom s 1* autoantigen, 1178
- sphingomyelinase localization, 733
- tacrolimus ointment, 396
- type 2 cytokines, 1079

An Atypical Form of Bullous Congenital Ichthyosiform Erythroderma is Caused by a Mutation in the L12 Linker Region of Keratin 1, Kremer H, Lavrijsen APM, McLean WHI, Lane EB, Melchers D, Ruiter DJ, Mariman ECM, Steijlen PM, 1224

Autism, with hypoglycinemia and xeroderma pigmentosum, 791

Autoantibodies
- in erythema multiforme, 503
- in neonatal lupus erythematosus, 1189
- in paraneoplastic pemphigus, 338
- tyrosinase-related protein 2, 1034

Autoantibodies from a Patient with Paraneoplastic Pemphigus Bind Periplakin, a Novel Member of the Plakin Family, *Letter*, Borradori L, Trüeb RM, Jaunin F, Limat A, Favre B, Saurat J-H, 338

Autoantigens
- in atopic dermatitis, 1178
- HPV5 as, in psoriasis, 541
- in melanoma, 662

Autocrine Regulation of Keratinocytes: The Emerging Role of Heparin-Binding, Epidermal Growth Factor-Related Growth Factors, Piepkorn M, Pittelkow MR, Cook PW, 715

0022-202X/98/$10.50 • Copyright © 1998 by The Society for Investigative Dermatology, Inc.

Autofluorescence
in aging and photoaging, 776
psoriatic plaques, 586

B

BAPTA-AM, inhibiting sulfur mustard effects, 64
Barrier function, skin
disruption, 517, 722, 1198
in dry environment, 858, 873
iontophoresis in hairless mice and, 39
in premature infants, 320
in recessive X-linked ichthyosis, 784
reconstructed human epidermis, 97
regional differences, 385
Basal cell carcinoma (BCC)
cells, curcumin-induced apoptosis, 656
changes in associated squamous cells, 173
Basement membrane zone, in epidermolysis bullosa, 93, 887, 1210
B cells, in diabetic venous ulcers, 850
Bcl-2
in Kaposi's sarcoma cells, 349
regulation by UV radiation, 380
Biphasic Effect of Exogenous Nitric Oxide on Proliferation and Differentiation in Skin Derived Keratinocytes but Not Fibroblasts, Krischel V, Bruch-Gerharz D, Suschek C, Krönke K-D, Ruzicka T, Kolb-Bachofen V, 286
Blood group antigens, in oral mucosal wounds, 592
Bone morphogenetic protein-6 (BMP-6), 1145
Both Retinoic Acid Receptors α (RARα) and γ (RARγ) Are Able to Initiate Mouse Upper-Lip Skin Glandular Metaplasia, Blanchet S, Favier B, Chevalier G, Kastner P, Michaille J-J, Chambon P, Dhouailly D, 206
Bullous congenital ichthyosiform erythroderma (BCIE)
annular epidermolytic ichthyosis variant, 1220
atypical mild phenotype, 1224
Bullous dermatosis, linear IgA, 93, 887
Bullous dermolysis of newborn, transient, 1214
Bullous pemphigoid, 1015
Bullous pemphigoid antigen 1 (BPAG1), in paraneoplastic pemphigus, 308
Bullous pemphigoid antigen 2 (BPAG2, BP180, type XVII collagen)
97 kDa linear IgA bullous dermatosis antigen and, 93, 887
integrin α6 interaction, 1015
mutations, in junctional epidermolysis bullosa, 528, 887

C

C3H/HeJ mice, 797
C3H/HeN mice, 864
C57BL/6 mice, 7, 25, 107, 545, 598, 941
Calcitriol, chemotherapy-induced alopecia and, 598
Calcium (Ca^{2+})
epidermal gradient
after barrier disruption, 1198
effects of iontophoresis, 39
reconstructed human epidermis, 97
homeostasis in Hermansky–Pudlak syndrome, 511
keratinocyte migration and, 751
in sulfur mustard-induced effects on keratinocytes, 64
telomerase downregulation, 1045
transglutaminase 1 gene activation, 1098
Calcium-binding proteins, S100 family, 879, 1092
Calmodulin, sulfur mustard and, 64
Calorie Restriction Reduces Ulcerative Dermatitis and Infection-Related Mortality in p53-Deficient and Wild-Type Mice, Perkins SN, Hursting SD, Phang JM, Haines DC, 292
CaN19 (S100A2), EGF-induced transcription, 1092
Caspase-3, effects of sulfur mustard, 64
Caspases
in hair cycle, 948
human epidermal, 367
Cathelicidins, 739
CD antibodies, mast cell characterization, 689
$CD4^+$ T cells
in atopic dermatitis, 1079
CD44 variant isoforms, 464
in cutaneous T cell lymphoma, 222
in hair follicles of mice, 7
nickel-specific, 621
in psoriasis, 1072
$CD8^+$ T cells
in atopic dermatitis, 1079
CD44 variant isoforms, 464
in contact hypersensitivity, 44
in hair follicles of mice, 7
nickel-specific, 360, 621
in psoriasis, 1072
CD11c/CD18, in pyoderma gangrenosum, 154
CD44
human monocytes, 227
variant isoforms, skin lymphocytes, 464
CD45, novel form in Langerhans cells, 668
CD59, in UVB-irradiated keratinocytes, 683
CD83, dermal dendritic cells, 841
CD86, UVB-induced upregulation, 373
CDKN2A Germline Mutations in U.K. Patients with Familial Melanoma and Multiple Primary Melanomas, MacKie RM, Andrew N, Lanyon WG, Connor JM, 269
CDKN2A ($p16^{INK4a}$) mutations, 269, 919, 1202
CDKN2a/$p16^{INK4a}$ Mutations and Lack of $p19^{ARF}$ Involvement in Familial Melanoma Kindreds, Fargnoli MC, Chimenti S, Keller G, Soyer HP, Pozzo VD, Höfler H, Peris K, 1202
Cell cycle
melanoma susceptibility genes and, 1202
regulation in keratinocytes, 616
thymidine dinucleotide-induced arrest, 472
Cell division, IGFBP-3 in human keratinocytes, 239
Cellular retinoic acid binding protein-II, human (hCRABPII), gene promoter, 1109
Characterization of a Composite Tissue Model that Supports Clonal Growth of Human Melanocytes *In Vitro* and *In Vivo*, Medalie DA, Tompkins RG, Morgan JR, 810
Characterization of Epidermal Wound Healing in a Human Skin Organ Culture Model: Acceleration by Transplanted Keratinocytes, Moll I, Houdek P, Schmidt H, Moll R, 251
Chemically-induced dermatitis, in tenascin-C deficiency, 930
Chemokines
in cutaneous T cell lymphoma, 222
in lichen planus lesions, 1003
production by endothelial cells, 50
in T cell recruitment, 1040
Chemotherapy-induced alopecia, 598
Chimeric Human Epidermal Reconstructs to Study the Role of Melanocytes and Keratinocytes in Pigmentation and Photoprotection, Bessou-Touya S, Picardo M, Maresca V, Surlève-Bazeille J-E, Pain C, Taïeb A, 1103
Cholecalciferol Induces Prostaglandin E_2 Biosynthesis and Transglutaminase Activity in Human Keratinocytes, Kanekura T, Lauledeerkind SJF, Kirtikara K, Goorha S, Ballou LR, 634
Cholesterol, metabolism in skin appendages, 139
Cholesterol sulfate, 189, 674, 784, 973, 1098
Cholesterol Sulfate Activates Transcription of Transglutaminase 1 Gene in Normal Human Keratinocytes, Kawabe S, Ikuta T, Ohba M, Chida K, Ueda E, Yamanishi K, Kuroki T, 1098
Cholesterol Sulfate Inhibits Proteases that are Involved in Desquamation of Stratum Corneum, Sato J, Denda M, Nakanishi J, Nomura J, Koyama J, 189
Cholesterol sulfotransferase, 973
Chromosome 13q11-q12.1, 83
Chymotrypsin, cholesterol sulfate inhibition, 189
Circadian rhythms, in human skin, 708
Clouston syndrome, linkage to 13q11-q12.1, 83
CMRF-44, 841
Collagen
synthesis
effect of stanozolol, 1193
tacrolimus ointment and, 396
VII (COL7A1) mutations, 534, 744, 1210, 1214
XVII *see* Bullous pemphigoid antigen 2
Collagenase, transgenic mice, 1029
Collagen-polyvinylpyrrolidone, in hypertrophic scars, 828
Combination of a Novel Frameshift Mutation (1929delCa) and a Recurrent Nonsense Mutation (W610X) of the LAMB3 Gene in a Japanese Patient with Herlitz Junctional Epidermolysis Bullosa, and their Application for Prenatal Testing, *Letter*, Takizawa Y, Shimizu H, Pulkkinen L, Suzumori K, Kakinuma H, Uitto J, Nishikawa T, 1239

Comparison of Genetic Profiles Between Primary Melanomas and Their Metastases Reveals Genetic Alterations and Clonal Evolution During Progression, Morita R, Fujimoto A, Hatta N, Takehara K, Takata M, 919
Comparison of HPLC and Stereologic Image Analysis for the Quantitation of Eu- and Pheomelanins in Nevus Cells and Stimulated Melanoma Cells, Donois E, del Marmol V, Ghanem G, Surlève-Bazeille J-E, 422
Complement proteins, effects of UVB on synthesis, 683
Compound Heterozygosity for a Recessive Glycine Substitution and a Splice Site Mutation in the COL7A1 Gene Causes an Unusually Mild Form of Localized Recessive Dystrophic Epidermolysis Bullosa, Terracina M, Posteraro P, Schubert M, Sonego G, Atzori F, Zambruno G, Bruckner-Tuderman L, Castiglia D, 744
Concordance of Genetic Changes in Basal Cell Carcinoma and Associated Clusters of Squamous Cells, *Letter*, Böni R, Vortmeyer AO, Stern JB, Burg G, Hofbauer G, Zhuang Z, 173
Confirmation of Linkage of Clouston Syndrome (Hidrotic Ectodermal Dysplasia) to 13q11-q12.1 with Evidence for Multiple Independent Mutations, Taylor TD, Hayflick SJ, McKinnon W, Guttmacher AE, Hovnanian A, Litt M, Zonana J, 83
Confocal microscopy, skin lesions *in vivo*, 538
Connexins, in keratinocytes of psoriatic lesions, 72
Contact dermatitis
  antimicrobial peptides, 739
  effects of MDP(Lysyl)GDP, 77
Contact hypersensitivity
  nickel-specific $CD8^+$ T cells, 360
  role of $CD8^+$ T cells, 44
  roles of TNF-α and IL-4, 86
Contact Hypersensitivity in MHC Class II-Deficient Mice Depends on CD8 T Lymphocytes Primed by Immunostimulating Langerhans Cells, Bouloc A, Cavani A, Katz SI, 44
Coordinated Induction of Inducible Nitric Oxide Synthase and GTP-Cyclohydrolase I Is Dependent on Inflammatory Cytokines and Interferon-γ in HaCaT Keratinocytes: Implications for the Model of Cutaneous Wound Repair, Frank S, Kolb N, Werner ER, Pfeilschifter J, 1065
Cornified envelope
  in mutilating palmoplantar keratoderma, 133
  in Vohwinkel's keratoderma, 702
CR4, in pyoderma gangrenosum, 154
Cryosurgery, ultrasonic monitoring, 308
CTLA-8 (interleukin-17), 645
Curcumin Induces a p53-Dependent Apoptosis in Human Basal Cell Carcinoma Cells, Jee S-H, Shen S-C, Tseng C-R, Chiu H-C, Kuo M-L, 656
Cutaneous Microfibrillar Apparatus Contains Latent Transforming Growth Factor-β Binding Protein-1 (LTBP-1) and is a Repository for Latent TGF-β1, Raghunath M, Unsöld C, Kubitscheck U, Bruckner-Tuderman L, Peters R, Meuli M, 559
Cutaneous T cell lymphoma (CTCL), 222, 327
Cyclobutane pyrimidine dimers (CPD), 354, 982
Cyclooxygenase, activity in keratinocytes, 634
Cyclophosphamide, 941
Cytochrome P-450, all-*trans*-retinoic acid 4-hydroxylation, 434
Cytokine Expression is Downregulated by Collagen-Polyvinylpyrrolidone in Hypertrophic Scars, Krötzsch-Gómez FE, Furuzawa-Carballeda J, Reyes-Márquez R, Quiróz-Hernández E, Díaz de León L, 828
Cytokines
  in atopic dermatitis, 1184
  hair follicle MHC class I expression and, 25
  nickel-specific T cells, 360, 621
  in oxazolone-induced contact sensitivity, 86
  production by endothelial cells, 50
  systemic sclerosis fibroblasts and, 1023
  in wound healing, 1065

D

Decay accelerating factor, 683
Defensins, 739
Denaturing gradient gel electrophoresis (DGGE), 406
Dendritic cells
  dermal, 841
  in DNA immunization, 183
  in UVB-irradiated skin, 1134
Dermal Dendritic Cells Associated with T Lymphocytes in Normal Human Skin Display an Activated Phenotype, McLellan AD, Heiser A, Sorg RV, Fearnley DB, Hart DNJ, 841
Dermal Fibroblasts Actively Metabolize Retinoic Acid but not Retinol, Randolph RK, Simon M, 478
Dermal papilla cells
  beard versus scalp, 727
  hair follicle inductive ability, 767
  pterins, 545
Dermal substitute, 989
Desmoplakin
  autoantibodies in erythema multiforme, 503
  in paraneoplastic pemphigus, 308
Desmosomes, in cholesterol sulfate-treated mice, 189
Detection of Human Papillomavirus DNA in PUVA-Associated Non-Melanoma Skin Cancers, Harwood CA, Spink PJ, Surentheran T, Leigh IM, Hawke JLM, Proby CM, Breuer J, McGregor JM, 123
Development of Skin Barrier Function in Premature Infants, Kalia YN, Nonato LB, Lund CH, Guy RH, 320
Dexamethasone-induced catagen, 941
Diabetes mellitus, wound healing, 850
Differences in Cellular Infiltrate and Extracellular Matrix of Chronic Diabetic and Venous Ulcers *Versus* Acute Wounds, Loots MAM, Lamme EN, Zeegelaar J, Mekkes JR, Bos JD, Middelkoop E, 850
Different Frequency of Gene Targeting Events by the RNA–DNA Oligonucleotide Among Epithelial Cells, Santana E, Peritz AE, Iyer S, Uitto J, Yoon K, 1172
Differential Expression of Activation Epitopes of β1 Integrins in Psoriasis and Normal Skin, Peñas PF, Gómez M, Buezo GF, Rios L, Yáñez-Mo M, Cabañas C, Sánchez-Madrid F, Garcia-Diez A, 19
Differential Expression Pattern of the Three *Fringe* Genes is Associated with Epidermal Differentiation, Thélu J, Viallet JP, Dhouailly D, 903
Differential Expression of Peroxisome Proliferator-Activated Receptor Subtypes During the Differentiation of Human Keratinocytes, Rivier M, Safonova I, Lebrun P, Griffiths CEM, Ailhaud G, Michel S, 1116
Differential Regulation of Epidermal Cell Tumor-Antigen Presentation by IL-1α and IL-1β, Beissert S, Hosoi J, Stratigos A, Brissette J, Grabbe S, Schwartz T, Granstein RD, 609
Differential Regulation of *P53* and *Bcl-2* Expression by Ultraviolet A and B, Wang Y, Rosenstein B, Goldwyn S, Zhang X, Lebwohl M, Wei H, 380
Differentiation of Cultured Human Epidermal Keratinocytes at High Cell Densities is Mediated by Endogenous Activation of the Protein Kinase C Signaling Pathway, Lee Y-S, Yuspa SH, Dlugosz AA, 762
Differentiation, epidermal
  Fringe gene expression, 903
  in human skin organ culture model, 251
  peroxisome proliferator-activated receptors (PPAR) and, 1116
  protein kinase C signaling, 762
  PTHrP in regulation, 1122
  reconstructed human epidermis, 97
  role of telomerase, 1045
  sulfur mustard inducing, 64
Dihydrotestosterone, fetal rat skin development and, 429
Dinitrofluorobenzene, 930
DNA
  as chromophore for erythema, 982
  epidermal synthesis, in dry environment, 873
  immunization, 183
  naked plasmid, epithelial expression, 605
  replication, effects of PUVA, 399
  role of melanin in damage, 678
  UV-induced damage, 354
DNA Immunization Targeting the Skin: Molecular Control of Adaptive Immunity, Tüting T, Storkus WJ, Falo LD, 183
Do Hair Bulb Melanocytes Undergo Apoptosis During Hair Follicle Regression (Catagen)?, Tobin DJ, Hagen E, Botchkarev VA, Paus R, 941
Do Primary Cutaneous Non-T Non-B $CD4^+CD56^+$ Lymphomas Belong to the Myelo-Monocytic Lineage?, *Letter*, Bagot M, Bouloc A, Charue D, Wechsler J, Bensussan A, Boumsell L, 1243
Drug delivery, transdermal, 39, 457, 925
Dry environment, 858, 873

E

Echographic cryoprobe, 308
Ectodermal dysplasia
  anhidrotic (EDA), 1247
  hidrotic, linkage to 13q11-q12.1, 83
EDA gene mutations, 1247

Effects of Ultraviolet B Radiation on Human Langerhans Cells: Functional Alteration of CD86 Upregulation and Induction of Apoptotic Cell Death, Rattis F-M, Concha M, Dalbiez-Gauthier C, Courtellemont P, Schmitt D, Péguet-Navarro J, 373
Effects of UVB on the Synthesis of Complement Proteins by Keratinocytes, Pasch MC, Okada N, Bos JD, Asghar SS, 683
Effect of Tenascin-C Deficiency on Chemically-Induced Dermatitis in the Mouse, Koyama Y, Kusubata M, Yoshiki A, Hiraiwa N, Ohashi T, Irie S, Kusakabe M, 930
Effect of UVB on Hydrolysis of α-Tocopherol Acetate to α-Tocopherol in Mouse Skin, Kramer-Stickland K, Liebler DC, 302
Efficient Expression of Naked Plasmid DNA in Mucosal Epithelium: Prospective for the Treatment of Skin Lesions, Hengge UR, Pfützner W, Williams M, Goos M, Vogel JC, 605
EGF Stimulates Transcription of CaN19 (S100A2) in HaCaT Keratinocytes, Stoll SW, Zhao X, Elder JT, 1092
Electric fields, keratinocyte migration, 751
Electropulse-enhanced methylene blue transport, 457
Embryonic mouse skin, putative keratin-associated protein gene, 128
Endogenous EGF-Family Growth Factors are Necessary for the Progression from the G1 to S Phase in Human Keratinocytes, Kobayashi T, Hashimoto K, Okumura H, Asada H, Yoshikawa K, 616
Endogenous Skin Fluorescence Includes Bands that may Serve as Quantitative Markers of Aging and Photoaging, Kollias N, Gillies R, Moran M, Kochevar IE, Anderson RR, 776
Endothelial cells
  human dermal microvascular (HDMEC), 50, 1153
  UVB-induced hyperplasia, 864
Envoplakin, in paraneoplastic pemphigus, 308, 1237
Envoplakin and Periplakin are Components of the Paraneoplastic Pemphigus Antigen Complex, *Letter*, Kiyokawa C, Ruhrberg C, Nie Z, Karashima T, Mori O, Nishikawa T, Green KJ, Anhalt GJ, DiColandrea T, Watt FM, Hashimoto T, 1237
Epidermal Cytokines IL-1β, TNF-α, and IL-12 in Patients with Atopic Dermatitis: Response to Application of House Dust Mite Antigens, Junghans V, Gutgesell C, Jung T, Neumann C, 1184
Epidermal differentiation complex, in mutilating palmoplantar keratoderma, 133
Epidermal Expression of Collagenase Delays Wound-Healing in Transgenic Mice, Di Colandrea T, Wang L, Wille J, D'Armiento J, Chada KK, 1029
Epidermal growth factor (EGF)
  CaN19 (S100A2) transcription and, 1092
  -family growth factors, 616, 715
  keratinocyte migration and, 751
  receptors, 616, 715
Epidermal Interferon-γ Inducible Protein-10 (IP-10) and Monokine Induced by γ-Interferon (Mig) but not IL-8 mRNA Expression is Associated with Epidermotropism in Cutaneous T Cell Lymphomas, Tensen CP, Vermeer MH, van der Stoop PM, van Beek P, Scheper RJ, Boorsma DM, Willemze R, 222
Epidermis
  caspases, 367
  chimeric human reconstructs, 1103
  fatty acid transport, 722
  ionic gradients after barrier disruption, 1198
  muscarinic acetylcholine receptors, 410
  μ-opiate receptors, 297
  proopiomelanocortin expression, 485
  reconstructed human, calcium distribution profile, 97
  stem cells, telomerase activity, 1045
Epidermodysplasia verruciformis
  skin cancer and, 696
  vertical transmission, 333
Epidermolysis bullosa
  dystrophic, COL7A1 mutations, 534, 744, 1210
  generalized atrophic benign, 887
  junctional
    COL17A1 mutations, 528
    Herlitz type, 1234, 1239
    non-lethal, 1245
    with pyloric atresia, 914
  simplex
    Dowling–Meara variant, 893
    Köbner variant, 524
    Weber–Cockayne variant, 900
  transient bullous dermolysis of newborn, 1214
Epidermolytic palmoplantar keratoderma (EPPK), keratin K9 mutations, 1207
Erythema, DNA as chromophore, 982
Erythema Multiforme Associated Human Autoantibodies Against Desmoplakin I and II: Biochemical Characterization and Passive Transfer Studies Into Newborn Mice, Foedinger D, Elbe-Bürger A, Sterniczky B, Lackner M, Horvat R, Wolff K, Rappersberger K, 503
Erythropoietic protoporhyria, 406, 540
Erythropoietic Protoporphyria: A New Mutation Responsible for Exon Skipping in the Human Ferrochetalase Gene, *Letter*, Remenyik E, Lanyon GW, Horkay I, Paragh G, Wikonkál N, Kósa A, Moore MR, 540
Establishment of Rat Dermal Papilla Cell Lines that Sustain the Potency to Induce Hair Follicles from Afollicular Skin, Inamatsu M, Matsuzaki T, Iwanari H, Yoshizato K, 767
Estrogen
  fetal rat skin development and, 429
  receptors, hair follicle cycling and, 175
Eumelanins, quantitation methods, 422
Evidence That Ferritin is UV Inducible in Human Skin: Part of a Putative Defense Mechanism, Applegate LA, Scaletta C, Panizzon R, Frenk E, 159
Experimental Induction of Alopecia Areata-Like Hair Loss in C3H/HeJ Mice Using Full-Thickness Skin Grafts, McElwee KJ, Boggess D, King LE, Sundberg JP, 797
An Experimental Model for Interpreting Percutaneous Penetration of Oligonucleotides that Incorporates the Role of Keratinocytes, Brand RM, Haase K, Hannah TL, Iversen PL, 1166
Exposure to a Dry Environment Enhances Epidermal Permeability Barrier Function, Denda M, Sato J, Masuda Y, Tsuchiya T, Koyama J, Kuramoto M, Elias PM, Feingold KR, 858
Expression of Epidermal Keratins and the Cornified Envelope Protein Involucrin is Influenced by Permeability Barrier Disruption, Ekanayake-Mudiyanselage S, Aschauer H, Schmook FP, Jensen J-M, Meingassner JG, Proksch E, 517
Expression of μ-Opiate Receptor in Human Epidermis and Keratinocytes, Bigliardi PL, Bigliardi-Qi M, Buechner S, Rufli T, 292
Expression of Interleukin-12 is Increased in Psoriatic Skin, Yawalkar N, Karlen S, Hunger R, Brand CU, Braathen LR, 1053
Expression and Regulation of mRNA for Putative Fatty Acid Transport Related Proteins and Fatty Acyl CoA Synthase in Murine Epidermis and Cultured Human Keratinocytes, Harris IR, Farrell AM, Memon RA, Grunfeld C, Elias PM, Feingold KR, 722
Extracellular matrix
  in diabetic venous ulcers, 850
  tenascin-C function, 930

F

Factor B, in UVB-irradiated keratinocytes, 683
Farnesoid X-activated receptor (FXR), 429
Fatty acid binding protein, plasma membrane (FABP-pm), 722
Fatty acid translocase (FAT), 722
Fatty acid transport protein (FATP), 722
Fatty acyl CoA synthase, 722
Ferritin, UV-inducibility in human skin, 159
Ferrochetalase gene mutations, 406, 540
Fetal skin
  glucocorticoid-mediated maturation, 440
  homeobox gene modulation in regenerating, 57
  nuclear hormone receptors, 429
Fibrillin, co-localization with latent TGF-β1, 559
Fibroblast growth factor-5 (FGF-5)
  in rat skin, 963
  short form (FGF-5S), in rat skin, 963
Fibroblast growth factor, basic (bFGF), UVB-induced expression, 864
Fibroblasts
  in dermal substitutes, 989
  fetal, homeobox genes, 57
  nitric oxide effects, 286
  platelet-derived growth factor effects, 213
  protein gene product 9.5, 565
  retinoid metabolism, 478
  solar UV irradiation, 629
  stanozolol actions, 1193
  systemic sclerosis, 1023
A Fibrogenic Cytokine, Platelet-Derived Growth Factor (PDGF), Enhances Mast Cell Growth Indirectly Via a SCF- and Fibroblast-Dependent Pathway, Hiragun T, Morita E, Tanaka T, Kameyoshi Y, Yamamoto S, 213

Fibrosis, in hypertrophic scars, 828
Filaggrin
in fetal rat skin, 429
stratum corneum pH gradient and, 674
First Comparative Delineation of the T Cell Receptor Repertoire in Primary and Multiple Subsequent/Coexisting Metastatic Melanoma Sites, Strohal R, Brna C, Mossbacher U, Fischer G, Pehamberger H, Stingl G, 1085
Fluorescence, endogenous *see* Autofluorescence
α-Fodrin autoantibodies, 1189
Fringe genes, 903

G

GABA receptors, urocanic acid binding, 705
Galvanotaxis, keratinocyte, 751
Gap junctions, in keratinocytes of psoriatic lesions, 72
Gene
gun, in DNA immunization, 183
transcription, PUVA effects, 399
Gene Expression of Mouse S100A3, a Cysteine-Rich Calcium-Binding Protein, in Developing Hair Follicle, Kizawa K, Tsuchimoto S, Hashimoto K, Uchiwa H, 879
Generation and Cyclic Remodeling of the Hair Follicle Immune System in Mice, Paus R, van der Veen C, Eichmüller S, Kopp T, Hagen E, Müller-Röver S, Hofmann U, 7
Gene therapy
naked plasmid DNA injection, 605
retrovirus vectors, 492
RNA–DNA oligonucleotide, 1172
Genomic Organization and Fine Mapping of the Keratin 2e Gene (*KRT2E*): K2e V1 Domain Polymorphism and Novel Mutations in Ichthyosis Bullosa of Siemens, Smith FJD, Maingi C, Covello SP, Higgins C, Schmidt M, Lane EB, Uitto J, Leigh IM, McLean WHI, 817
Glandular metaplasia, retinoic acid receptors, 206
Glucocorticoid Deficiency Delays Stratum Corneum Maturation in the Fetal Mouse, Hanley K, Feingold KR, Kömüves LG, Elias PM, Muglia LJ, Majzoub JA, Williams ML, 440
Glucocorticoids
fetal rat skin development and, 429
in fetal skin maturation, 440
wound healing and, 1058
Glycerophosphate, in sebum lipid synthesis, 199
Glycoconjugates, cell surface, in oral mucosal wounds, 592
Glycogen, in sebum lipid synthesis, 199
gp100, 662
Growth factors, keratinocyte migration and, 751
GTP-binding protein, in melanocyte dendrite formation, 243
GTP-cyclohydrolase I, in wound healing, 1058, 1065

H

HaCaT cells, 434, 452, 1065, 1092, 1172
Hair
color, melanocortin 1 receptor variants and, 119
cycle
estrogen receptors, 175
pterins, 545
keratin, type II mutation, 169, 896
loss *see* Alopecia
removal, ruby lasers, 107
Hair Follicle has a Novel Anagen-Specific Protein, mKAP13, Aoki N, Ito K, Ito M, 804
Hair follicles
apoptosis, 948
beard versus scalp, 727
catagen, melanocyte apoptosis, 941
destruction by ruby lasers, 107
FGF-5 expression, 963
immune system in mice, 7
induction from dermal papilla cells, 767
lipid metabolism, 139, 199
MHC class I expression, 25
mKAP13 anagen-specific protein, 804
neurotrophin-3 in morphogenesis, 279
novel type II cytokeratin, K6hf, 955
pterins, 545
S100A3 expression, 879
Hair Growth Cycle Affects Hair Follicle Destruction by Ruby Laser Pulses, Lin T-YD, Manuskiatti W, Dierickx CC, Farinelli WA, Fisher ME, Flotte T, Baden HP, Anderson RR, 107
Hairless mouse
in dry environment, 858, 873
endogenous skin fluorescence, 776
iontophoresis on skin, 39, 1166
permeability barrier disruption, 517
Hamster flank organs and ears, novel 5α-reductase inhibitors, 273
v-Ha-*ras* transgenic Tg.Ac mouse, 445
Heart block, congenital, 1189
Heat shock protein-47, in systemic sclerosis fibroblasts, 1023
Heat shock protein-72, UVB-induced expression, 194
Heat Shock Transcription Factor-1 (HSF-1), 194
Heat Shock Transcription Factor-1 Regulates Heat Shock Protein-72 Expression in Human Keratinocytes Exposed to Ultraviolet B Light, Zhou X, Tron VA, Li G, Trotter MJ, 194
HeLa cells, 1172
Hemidesmosomes, 93, 1015
Heparin-binding epidermal growth factor-like growth factor, 616, 715
Hepatocyte Growth Factor/Scatter Factor (HGF/SF) Induces Vascular Permeability Factor (VPF/VEGF) Expression by Cultured Keratinocytes, Gille J, Khalik M, König V, Kaufmann R, 1160
The Herbal Medicine Sho-saiko-to Inhibits Growth and Metastasis of Malignant Melanoma Primarily Developed in *wt*-Transgenic Mice, Kato M, Liu W, Yi H, Asai N, Hayakawa A, Kozaki K, Takahashi M, Nakashima I, 640
Hermansky–Pudlak syndrome, pterin metabolism, 511
Heterozygosity for Premature Termination Codon Mutations in LAMB3 in Siblings with Non-Lethal Junctional Epidermolysis Bullosa, *Letter*, Pulkkinen L, Uitto J, 1245
HFE mutations, 1242
hHb1 mutation, in monilethrix, 169
hHb6 mutations, in monilethrix, 896
Higher Frequency of Selective Losses of HLA-A and -B Allospecificities in Metastasis Than in Primary Melanoma Lesions, Geertsen RC, Hofbauer GFL, Yue F-Y, Manolio S, Burg G, Dummer R, 497
High Performance Liquid Chromatography (HPLC), 422, 478
Histamine
cutaneous mast cells, 689
receptors, urocanic acid binding, 705
HLA class I expression, in melanoma, 497
HMC-1 mast cell line, 1227
Homeobox genes, in scarless fetal wound repair, 57
Hom s 1 autoantigen, in atopic dermatitis, 1178
House dust mite antigens, 1184
HOXB13 gene, in scarless fetal wound repair, 57
Human dermal microvascular endothelial cells (HDMEC), 50, 1153
Human herpesvirus 8 (HHV8), 781
Human Langerhans Cells Express a Novel Form of the Leukocyte Common Antigen (CD45), Wood GS, Szwejbka P, Schwandt A, 668
Human Melanocytes and Keratinocytes Exposed to UVB or UVA *In Vivo* Show Comparable Levels of Thymine Dimers, Potten CS, Young AR, Nikaido O, Parsons PG, Boenders J, Ramsden JM, Chadwick CA, 936
Human papillomaviruses (HPV)
DNA in PUVA-associated skin cancers, 123
lesions, gene therapy approach, 605
in leukoplakial lesions of stoma patient, 164
type 5, in psoriasis, 541, 912
type 8, antibodies, 696
vertical transmission, 333
Human seminal inhibitor 1 (HUSI-I, SLP1), 996
Human skin
"acid-mantle", 674
appendages, lipid metabolism, 139
β1 integrin activation epitopes, 19
circadian rhythms, 708
dermal dendritic cells, 841
equivalent models, 810
grafts onto SCID mice, 1040
in vivo confocal microscopy, 538
mitochondrial DNA deletions, 709
nerve growth factor p75 receptor, 114
μ-opiate receptors, 292
organ culture model, 251
proopiomelanocortin expression, 485

reconstructed, calcium distribution profile, 97
regenerating fetal, homeobox genes, 57
SCF/KIT pathway, 233
serotonin-like immmunoreactivity, 1010
structural protein and hydration changes, 1129
tacrolimus ointment therapy, 396
type *see* Skin type
UVB-induced IL-10 expression by macrophages, 31
UV-induced ferritin production, 159
UV-induced thymine dimers, 936, 982
Humidity, environmental, 858, 873
HUTS-21 monoclonal antibodies, psoriatic skin, 19
Hyaluronate, avidity of monocytes, 227
3-Hydroxy-3-methylglutaryl-coenzyme A (HMG-CoA) reductase, in human skin appendages, 139
17β-Hydroxysteroid dehydrogenase (17β-HSD), type 2 isozyme, 390
5-Hydroxytryptamine (serotonin)-like immunoreactivity, in human melanocytes, 1010
Hypericin, anti-proliferative effects, 327
Hypertrophic scars, collagen-polyvinylpyrrolidone-treated, 828
Hypoglycinemia, with xeroderma pigmentosum and autism, 791
Hypopigmentation, active-specific immunotherapy-induced, 1034

I

ICAM-1, human monocytes, 227
Ichthyosis
annular epidermolytic, 1220
bullosa of Siemens, 817
recessive X-linked, 189, 784
stratum corneum pH gradient, 674
Vohwinkel's keratoderma with, 702
Identification of Activating c-kit Mutations in Adult-, but not in Childhood-Onset Indolent Mastocytosis: A Possible Explanation for Divergent Clinical Behavior, Büttner C, Henz BM, Welker P, Sepp NT, Grabbe J, 1227
Identification and Mapping of Keratinocyte Muscarinic Acetylcholine Receptor Subtypes in Human Epidermis, Ndoye A, Buchli R, Greenberg B, Nguyen VT, Zia S, Rodriguez JG, Webber RJ, Lawry MA, Grando SA, 410
Identification and Quantitation of Interferon-γ Producing T Cells in Psoriatic Lesions: Localization to Both $CD4^+$ and $CD8^+$ Subsets, Szabo SK, Hammerberg C, Yoshida Y, Bata-Csorgo Z, Cooper KD, 1072
Identification and Sequencing of a Putative Variant of Proopiomelanocortin in Human Epidermis and Epidermal Cells in Culture, Can G, Abdel-Malek Z, Porter-Gill PA, Gill P, Boyce S, Grabowski GA, Nordlund J, Farooqui J, 485
IgA bullous dermatosis, linear, 93, 887
IgE
autoantigen, in atopic dermatitis, 1178
Th2 and Tc2 cells and, 1079
IgG antibodies, in neonatal lupus erythematosus, 1189
Ileostoma patient, HPV DNA in leukoplakial lesions, 164
Image analysis, thymine dimers, 936
Immunization, DNA-based, 183
Immunoblotting, 417
Immunoelectron microscopy, 93, 114, 417, 835
Immunofluorescence, 410, 835
Immunohistochemistry, 417, 1010, 1053, 1058, 1134
Immunologic protection, sunscreens, 340, 912
Immunologic Protection Afforded by Sun Screens, *Letter*, Chu AC, Davenport V, Morris JF, 340
Immunosuppression, UV-induced, 706
Immunotherapy, active-specific, in melanoma, 1034
Impedance spectroscopy, in premature infants, 320
Increased Expression of Heat-Shock Protein 47 is Associated with Overproduction of Type I Procollagen in Systemic Sclerosis Skin Fibroblasts, Kuroda K, Tsukifuji R, Shinkai H, 1023
Increased Microvascular Density and Enhanced Leukocyte Rolling and Adhesion in the Skin of VEGF Transgenic Mice, Detmar M, Brown LF, Schön MP, Elicker BM, Velasco P, Richard L, Fukumura D, Monsky W, Claffey KP, Jain R, 1
Increased Type 2 Cytokine Expression by Both $CD4^+$ $CD45RO^+$ T cells and $CD8^+$ $CD45RO^+$ T Cells in Blood Circulation is Associated with High Serum IgE but not with Atopic Dermatitis, Sato A, Tsuji K, Yamamura M, Morita Y, Kanzaki H, Tada J, Makino H, Arata J, 1079
Induction of Bone Morphogenetic Protein-6 in Skin Wounds. Delayed Reepithelialization and Scar Formation in BMP-6 Overexpressing Transgenic Mice, Kaiser S, Schirmacher P, Philipp A, Protschka M, Moll I, Nicol K, Blessing M, 1145
Induction of Inducible Nitric Oxide Synthase and its Corresponding Tetrahydrobiopterin-Cofactor-Synthesizing Enzyme GTP-Cyclohydrolase I During Wound Healing: Nitric Oxide as a Novel Mediator for Gene Regulation During the Healing Process?, Frank S, Madlener M, Pfeilschifter J, Werner S, 1058
Induction of Interleukin-6 Production by Ultraviolet Radiation in Normal Human Epidermal Keratinocytes and in a Human Keratinocyte Cell Line is Mediated by DNA Damage, Petit-Frère C, Clingen PH, Grewe M, Krutmann J, Roza L, Arlett CF, Green MHL, 354
Induction of SLP1 (ALP/HUSI-I) in Epidermal Keratinocytes, Wingens M, van Bergen BH, Hiemstra PS, Meis JFGM, van Vlijmen-Willems IMJJ, Zeeuwen PLJM, Mulder J, Kramps HA, van Ruissen F, Schalkwijk J, 996
Infections, calorie restriction and, 292
Inflammation, mouse ear, 77, 87
Inflammatory dermatoses
photoactivated hypericin therapy, 327
seasonal exacerbations, 873
Infrared radiation, protection of cells from solar UV toxicity, 629
In Human Skin, UVB Initiates Early Induction of IL-10 Over IL-12 Preferentially in the Expanding Dermal Monocytic/Macrophagic Population, Kang K, Gilliam AC, Chen G, Tootell E, Cooper KD, 31
Insulin-like growth factor binding protein-3 (IGFBP-3), 239
Integrins
α6
collagen XVII interaction, 1015
mutation, 914
β1
activation epitopes in psoriasis, 19
in keratinocyte–lymphocyte adhesion, 650
in pyoderma gangrenosum, 154, 259
Integrins of the β1 Family Influence Keratinocyte–Lymphocyte Interaction, Boukhelifa M, Paulin Y, Font J, Pichon J, Giner M, Wantyghem J, Aubery M, Braut-Boucher F, 650
Interaction of BP180 (Type XVII Collagen) and A6 Integrin is Necessary for Stabilization of Hemidesmosome Structure, Hopkinson SB, Findlay K, deHart GW, Jones JCR, 1015
Interferon-β (IFN-β), effects of UVB irradiation, 864
Interferon-γ (IFN-γ)
IL-17 synergism in keratinocytes, 645
inducing hair follicle MHC class I expression, 25
in keratinocyte–lymphocyte adhesion, 650
in oxazolone-induced contact sensitivity, 86
-producing cells in psoriasis, 1072
in wound healing, 1065
Interferon-γ inducible protein-10 (IP-10), 222, 1003
Interleukin 1-β-converting enzymes *see* Caspases
Interleukin-1 (IL-1)
α and β forms, differential effects, 609
β, in atopic dermatitis, 1184
Interleukin-4 (IL-4), in oxazolone-induced contact sensitivity, 86
Interleukin-6 (IL-6), UV-induced DNA damage and, 354
Interleukin-8 (IL-8), in cutaneous T cell lymphoma, 222
Interleukin-10 (IL-10)
endothelial cell cytokine production and, 50
psoriasis therapy, 1235
UVB-induced expression, 31
Interleukin-12 (IL-12)
in atopic dermatitis, 1184
in psoriasis, 1053
UVB-induced downregulation, 31
Interleukin-17 and Interferon-γ Synergize in the Enhancement of Proinflammatory Cytokine Production by Human Keratinocytes, Taunissen MBM, Koomen CW, de Waal Malefyt R, Wierenga EA, Bos JD, 645
Intermediate filament-associated proteins, 804
Intermediate filaments
mutations involving, 524, 893, 900, 1207
in oral mucosal wounds, 592
see also Keratin
International Workshop on Neurobiology of the Skin, 1997, *Abstracts*, 341
Intestine, HPV DNA sequences in stoma patient, 164
Intralesional Cytokines in Chronic Oxazolone-Induced Contact Sensitivity Suggest Roles for Tumor Necrosis Factor α and Interleukin-4, Webb EF, Tzimas MN, Newsholme SJ Griswold DE, 86

Intranuclear Localization of Insulin-Like Growth Factor Binding Protein-3 (IGFBP-3) During Cell Division in Human Keratinocytes, Wraight CJ, Liepe IJ, White PJ, Hibbs AR, and Werther GA, 239
In Vivo Results with a New Device for Ultrasonic Monitoring of Pig Skin Cryosurgery: The Echographic Cryoprobe, Laugier P, Laplace E, Lefaix J-L, Berger G, 308
Involucrin, permeability barrier disruption and, 517
Ion capture cytochemistry, 97
Iontophoresis, 39, 1166
Iontophoresis Itself on Hairless Mouse Skin Induces the Loss of the Epidermal Calcium Gradient Without Skin Barrier Impairment, Lee SH, Choi EH, Feingold KR, Jiang S, Ahn SK, 39
Irish population, melanocortin 1 receptor variants, 119
Irritant contact dermatitis, effects of MDP(Lysyl)GDP, 77
Is Human Papillomavirus Type 5 the Putative Autoantigen Involved in Psoriasis?, *Letter,* Majewski S, Favré M, Orth G, Jablonska S, 541
Isolation and Characterization of a Putative Keratin-Associated Protein Gene Expressed in Embryonic Skin of Mice, Takaishi M, Takata Y, Kuroki T, Huh N, 128

K

Kaposi's sarcoma
  cells, Bcl-2 expression, 349
  human herpesvirus 8 infections, 781
Keratin
  1 mutation, 1224
  2e gene (*KRT2E*), 817
  5 mutations, 524, 900
  6, hair follicle (K6hf), 955
  9 mutations, 1207
  10 mutation, 1220
  14 mutations, 893, 900
  in oral mucosal wounds, 592
  permeability barrier disruption and, 517
  type II hair, mutations, 169, 896
Keratin-associated protein gene, putative, in embryonic mouse skin, 128
Keratinocytes
  all-*trans* retinoic acid levels, 434
  autocrine regulation, 715
  β1 integrin activation epitopes, in psoriasis, 19
  bone morphogenetic protein-6, 1145
  caspases, 367
  cell cycle regulation, 616
  cellular retinoic acid binding protein-II, 1109
  in chimeric human epidermal reconstructs, 1103
  cholecalciferol effects, 634
  complement protein synthesis, 683
  dermal papilla cell interactions, 767
  EGF-stimulated CaN19 (S100A2) transcription, 1092
  fatty acid transport, 722
  heat shock protein-72 expression, 194
  in human skin organ culture model, 251
  IGFBP-3, 239
  IL-17/interferon-γ synergism, 645
  inducible NOS and GTP-cyclohydrolase I, 1065
  lymphocyte adhesion, 650
  migration in electric fields, 751
  muscarinic acetylcholine receptors, 410
  nitric oxide effects, 286
  nitric oxide synthase in lupus erythematosus, 149
  oligonucleotide uptake, 1166
  μ-opiate receptors, 292
  peroxisome proliferator-activated receptors (PPAR), 1116
  plasmin generation, 1140
  proopiomelanocortin expression, 485
  protein kinase C signaling, 762
  psoriatic, connexin expression, 72
  retinoid-induced VEGF downregulation, 907
  retrovirus-mediated gene transfer, 492
  RNA–DNA oligonucleotide gene targeting, 1172
  SLP1 (ALP/HUSI-I) induction, 996
  Staphylococcus aureus adherence, 452
  sulfur mustard effects, 64
  transglutaminase 1 gene regulation, 1098
  UV-induced IL-6 release, 354
  UV-induced thymine dimers, 936
  VEGF expression, 1160
  vitamin D receptor expression, 551
  see also Differentiation, epidermal
Keratinocyte-Specific Retinoid Regulation of Human Cellular Retinoic Acid Binding Protein-II (hCRABPII) Gene Promoter Requires an Evolutionarily Conserved DR1 Retinoic Acid-Responsive Element, Di W, Li X-Y, Datta S, Åström A, Fisher GJ, Chambon P, Voorhees JJ, Xiao J-H, 1109
KIT (c-kit), 213, 233
  gene mutations, 337, 1227
Knockout mice
  metallothionein, 582
  MHC class II, 44
  rescued PTHrp, 1122
  tenascin-C, 930

L

LAMB3 mutations, 1239, 1245
Laminin γ2-chain (LAMC2) mutations, 1234
Langerhans cells
  CD45 isoform, 668
  in contact hypersensitivity, 44
  in DNA immunization, 183
  in hair follicles of mice, 7
  matrix metalloproteinase-9, 1232
  tumor antigen presentation, 609
  UVB radiation effects, 31, 373, 1134
Langerhans Cells Express Matrix Metalloproteinase-9 in the Human Epidermis, *Letter,* Uchi H, Imayama S, Kobayashi Y, 1232
Lasers
  ruby, hair removal, 107
  stress wave generation, 925
Latent transforming growth factor-β binding protein-1 (LTBP-1), 559
Leukocytes, in skin of VEGF transgenic mice, 1
Leukoplakial lesions, HPV sequences, 164
Lichen planus, chemokines, 1003
Ligands and Activators of Nuclear Hormone Receptors Regulate Epidermal Differentiation During Fetal Rat Skin Development, Kömüves LG, Hanley K, Jiang Y, Elias PM, Williams ML, Feingold KR, 429
Light and Electron Microscopic Demonstration of the p75 Nerve Growth Factor Receptor in Normal Human Cutaneous Nerve Fibers: New Vistas, Liang Y, Johansson O, 114
Linear IgA bullous dermatosis 97 kDa antigen (97-LAD, LAD-1), 93, 887
Linkage analysis, hidrotic ectodermal dysplasia, 83
Lipids
  metabolism in human skin appendages, 139, 199
  stratum corneum, in dry environment, 858
Lipodermatosclerosis is Characterized by Elevated Expression and Activation of Matrix Metalloproteinases: Implications for Venous Ulcer Formation, Herouy Y, May AE, Pornschlegel G, Stetter C, Grenz H, Preissner KT, Schöpf E, Norgauer J, Vanscheidt W, 822
Lipogenesis in the Human Sebaceous Gland: Glycogen and Glycerophosphate and Substrates for the Synthesis of Sebum Lipids, Downie MMT, Kealey T, 199
Living Skin Substitutes: Survival and Function of Fibroblasts Seeded in a Dermal Substitute in Experimental Wounds, Lamme EN, van Leeuwen RTJ, Jonker A, van Marle J, Middelkoop E, 989
Localization of Rat FGF-5 Protein in Skin Macrophage-Like Cells and FGF-5S Protein in Hair Follicle: Possible Involvement of Two *Fgf-5* Gene Products in Hair Growth Cycle Regulation, Suzuki S, Kato T, Takimoto H, Masui S, Oshima H, Ozawa K, Suzuki S, Imamura T, 963
Localization of Sphingomyelinase in Lesional Skin of Atopic Dermatitis Patients, Kusuda S, Chang-Yi C, Takahashi M, Tezuka T, 733
Loricrin
  in fetal rat skin, 429
  mutation, 702
  in mutilating palmoplantar keratoderma, 133
  permeability barrier disruption and, 517
Loss of heterozygosity (LOH), in melanoma, 919
Low density lipoprotein (LDL), in skin appendages, 139
Low Humidity Stimulates Epidermal DNA Synthesis and Amplifies the Hyperproliferative Response to Barrier Disruption: Implication for Seasonal Exacerbations of Inflammatory Dermatoses, Denda M, Sato J, Tsuchiya T, Elias PM, Feingold KR, 873

Lupus erythematosus
neonatal, 1189
UV-induced nitric oxide synthase expression, 149
Lymphocytes
attractant chemokines in lichen planus, 1003
CD44 variant isoforms, 464
keratinocyte adhesion, 650
see also B cells; T cells
Lymphoma
cutaneous, CD44 variant isoforms, 464
cutaneous T cell (CTCL), 222, 327
primary cutaneous non-T non-B $CD4^+CD56^+$, 1243

M

Macrophage inflammatory protein (MIP)-1α, 1040
Macrophages/monocytes
activated, effects of MDP(Lysyl)GDP, 77
dermal, UVB-induced IL-10 expression, 31
in diabetic venous ulcers, 850
FGF-5 expression, 963
in hair follicles of mice, 7
hyaluronate avidity and hyaluronate receptor expression, 227
Macrophage-stimulating protein (MSP), 573
Major histocompatibility complex *see* MHC
Mast cell growth factor *see* Stem cell factor
Mast cells
environmental humidity and, 873
in hair follicles of mice, 7
phenotypic characterization of human, 689
platelet-derived growth factor effects, 213
in skin of VEGF transgenic mice, 1
Mastocytosis, indolent, 1227
Matrix metalloproteinases
9, in Langerhans cells, 1232
effects of Sho-saiko-to, 640
in human dermal microvascular endothelial cells, 1153
in lipodermatosclerosis, 822
wound healing and, 1029
MCP-1, 1003, 1040
MCP-1 and MIP-1α are Most Efficient in Recruiting T Cells into the Skin *In Vivo*, Kunstfeld R, Lechleitner S, Wolff K, Petzelbauer P, 1040
MDP(Lysyl)GDP, a Nontoxic Muramyl Dipeptide Derivative, Inhibits Cytokine Production by Activated Macrophages and Protects Mice from Phorbol Ester- and Oxazolone-Induced Inflammation, Zunic M, Bahr GM, Mudde GC, Meingassner JG, Lam C, 77
Melanin
role in UVA-induced DNA damage, 678
thymidine dinucleotide-induced synthesis, 472
Melanocortin 1 receptor variants, 119
Melanocortin 1 Receptor Variants in an Irish Population, Smith R, Healy E, Siddiqui S, Flanagan N, Steijlen PM, Rosdahl I, Jacques JP, Rogers S, Turner R, Jackson IJ, Birch-Machin MA, Rees JL, 119
Melanocytes
in chimeric human epidermal reconstructs, 1103
dendrite formation, 243
eumelanins and pheomelanins, 422
hair bulb, during catagen, 941
myosin V, 835
photosensitized DNA damage, 678
proopiomelanocortin expression, 485
SCF/KIT pathway, 233
serotonin-like immunoreactivity, 1010
in skin equivalent models, 810
thymidine dinucleotide-induced melanogenesis, 472
UV-induced thymine dimers, 936
Melanocyte stimulating hormone, rac1 mediating dendrite formation, 243
Melanocyte stimulating hormone receptor (MC1R) gene polymorphism, 218
Melanoma
anti-tyrosinase-related protein-2 antibodies, 1034
autoantigens, antibody responses, 662
CDKN2A mutations, 269, 1202
familial, 269, 1202
loss of HLA class I expression, 497
metastatic progression, 919
N-ras mutations, 757
Sho-saiko-to therapy, 640
susceptibility, 218
T cell receptor repertoire, 1085
Melanoma-associated antigens, 662, 1085
Melanoma cells
eumelanins and pheomelanins, 422
Rac1-mediated dendrite formation, 243
thymidine dinucleotide-induced melanogenesis, 472
Melanosome transport, 835
Members of the Plakin Family of Proteins Recognized by Paraneoplastic Pemphigus Antibodies Include Periplakin, Mahoney MG, Aho S, Uitto J, Stanley JR, 308
Membrane cofactor protein, in UVB-irradiated keratinocytes, 683
Membrane-Type Matrix Metalloproteinases in Human Dermal Microvascular Endothelial Cells: Expression and Morphogenetic Correlation, Chan VT, Zhang DN, Nagaravapu U, Hultquist K, Romero LI, Herron GS, 1153
MEN1 mutations, in sporadic angiofibromas, 539
Metallothionein, function in photoprotection, 582
Metastasis, melanoma, 497, 640, 919, 1085
Methylene blue, cutaneous delivery, 457
MHC
class I expression
in melanoma, 497
in murine hair follicles, 25
class II-deficient mice, contact hypersensitivity, 44
MHC Class I Expression in Murine Skin: Developmentally Controlled and Strikingly Restricted Intraepithelial Expression During Hair Follicle Morphogenesis and Cycling, and Response to Cytokine Treatment *In Vitro*, Rückert R, Hofmann U, van der Veen C, Bulfone-Paus S, Paus R, 25
MHC-Dependent and -Independent Activation of Human Nickel-Specific $CD8^+$ Cytotoxic T Cells from Allergic Donors, Moulon C, Wild D, Dormoy A, Weltzien HU, 360
Microfibrils, latent TGF-β1 storage, 559
Mig, 222, 1003
MIG is a Dominant Lymphocyte-Attractant Chemokine in Lichen Planus Lesions, Spandau U, Toksoy A, Goebeler M, Bröcker E-B, Gillitzer R, 1003
Migration of Human Keratinocytes in Electric Fields Requires Growth Factors and Extracellular Calcium, Fang KS, Farboud B, Nuccitelli R, Isseroff RR, 751
MIP-1α, 1040
Mitochondrial DNA, aging-related changes, 709
Mitochondrial DNA Deletions in Human Skin Reflect Photo- Rather than Chronologic Aging, *Letter*, Berneburg M, Krutmann J, 709
mKAP13, an anagen-specific protein, 804
Modulation of the Human Homeobox Genes *PRX-2* and *HOXB13* in Scarless Fetal Wounds, Stelnicki EJ, Arbeit J, Cass DL, Saner C, Harrison M, Largman C, 57
Molecular Characterization of an Autoallergen, *Hom s 1* Identified by Serum IgE from Atopic Dermatitis Patients, Valenta R, Natter S, Seiberler S, Wichlas S, Maurer D, Hess M, Pavelka M, Grote M, Ferreira F, Szepfalusi Z, Valent P, Stingl G, 1178
Molecular Regulation of UVB-Induced Cutaneous Angiogenesis, Bielenberg DR, Bucana CD, Sanchez R, Donawho CK, Kripke ML, Fidler IJ, 864
Monilethrix
hHb1 mutation, 169
hHb6 mutations, 896
Monocyte chemoattractant protein (MCP)-1, 1003, 1040
Monocytes *see* Macrophages/monocytes
Monokine induced by γ-interferon (Mig), 222, 1003
Mononuclear cells, attractant chemokines in lichen planus, 1003
Mouse
alopecia areata model, 797
anti-inflammatory effects of MDP(Lysyl)GDP, 77
chemotherapy-induced alopecia, 598
cholesterol sulfate studies, 189
cytokines in oxazolone-induced contact sensitivity, 86
embryonic skin, putative keratin-associated protein gene, 128
epidermal PTHrP function, 1122
fetal, glucocorticoid deficiency, 440
hair cycle
estrogen receptors, 175
pterins, 545
hair follicle destruction by ruby laser, 107
hair follicle immune system, 7

human anti-desmoplakin autoantibodies, 503
ionic epidermal gradients, 1198
Langerhans cells, 1134
mast cell-deficient, 213
MHC class I expression in hair follicles, 25
mKAP13 anagen-specific protein, 804
multistage carcinogenesis, 973
neurotrophin-3 in hair follicle morphogenesis, 279
p53-deficient, calorie restriction, 292
SCID, 1040
α-tocopherol hydrolysis, 302
upper-lip skin glandular metaplasia, 206
UVB-induced cutaneous angiogenesis, 864
see also Hairless mouse; Knockout mice; Transgenic mice
Muramyl dipeptide derivative (MDP(Lysyl)GDP), 77
Muscarinic acetylcholine receptors, 410
A Mutational Hotspot in the 2B Domain of Human Hair Basic Keratin 6 (hHb6) in Monilethrix Patients, Korge BP, Healy E, Munro CS, Pünter C, Birch-Machin M, Holmes SC, Darlington S, Hamm H, Messenger AG, Rees JL, Traupe H, 896
Mutations
in anhidrotic ectodermal dysplasia, 1247
CDKN2A/p16^{INK4a}, 269, 919, 1202
COL7A1, 534, 744, 1210, 1214
COL17A1, 528, 887
ferrochetalase, 406, 540
HFE, 1242
in hidrotic ectodermal dysplasia, 83
integrin α6, 914
keratin 1, 1224
keratin 5, 524, 900
keratin 9, 1207
keratin 10, 1220
keratin 14 (*KRT14*), 893, 900
c-kit, 337, 1227
LAMB3, 1239, 1245
laminin γ2-chain (LAMC2), 1234
loricrin, 702
MEN1, 539
in monilethrix, 169, 896
N-ras, 757
XPC gene, 791
Mutations in the Ferrochetalase Gene of Four Spanish Patients with Erythropoietic Protoporphyria, Gouya L, Schneider-Yin X, Rüfenacht U, Herrero C, Lecha M, Mascaro JM, Puy H, Deybach J-C, Minder EI, 406
Mutations in Keratin K9 in Kindreds with Epidermolytic Palmoplantar Keratoderma and Epidemiology in Northern Ireland, Covello SP, Irvine AD, McKennal KE, Munro CS, Nevin NC, Smith FJD, Uitto J, McLean WHI, 1207
Mutilating palmoplantar keratoderma, cornified cell envelope formation, 133
Mycosis fungoides, $CD4^+$ T cell epidermotropism, 222
Myosin V Colocalizes with Melanosomes and Subcortical Actin Bundles Not Associated with Stress Fibers in Human Epidermal Melanocytes, Lambert J, Onderwater J, Vander Haeghen Y, Vancoillie G, Koerten HK, Mommaas AM, Naeyaert MJ, 835

N

NAD(P)H oscillations, in pyoderma gangrenosum, 259
Neonatal Lupus Erythematosus: Maternal IgG Antibodies Bind to a Recombinant NH_2-Terminal Fusion Protein Encoded by Human α-Fodrin cDNA, Miyagawa S, Yanagi K, Yoshioka A, Kidoguchi K, Shirai T, Hayashi Y, 1189
Neonates
lupus erythematosus, 1189
transient bullous dermolysis, 1214
Nerve fibers, human cutaneous, 114
Nerve growth factor, p75 receptor (p75 NGFr), 114
Neuron-specific enolase (NSE), human cutaneous nerve fibers, 114
Neurotrophin-3, in hair follicle morphogenesis, 279
Neurotrophin-3 Involvement in the Regulation of Hair Follicle Morphogenesis, Botchkarev VA, Botchkareva NV, Albers KM, van der Veen C, Lewin GR, Paus R, 279
Neutrophils, in pyoderma gangrenosum, 154, 259
Nevus cells, eumelanins and pheomelanins, 422
Nickel allergy, 360, 621
The 97 kDa Linear IgA Bullous Dermatosis Antigen is not Expressed in a Patient with Generalized Atrophic Benign Epidermolysis Bullosa with a Novel Homozygous G258X Mutation in COL17A1, Shimizu H, Takizawa Y, Pulkkinen L, Zone JJ, Matsumoto K, Saida T, Uitto J, Nishikawa T, 887
97 kDA Linear IgA Bullous Dermatosis Antigen Localizes in the Lamina Lucida Between the NC16A and Carboxyl Terminal Domains of the 180 kDa Bullous Pemphigoid Antigen, Ishiko A, Shimizu H, Masunaga T, Yancey KB, Giudice GJ, Zone JJ, Nishikawa T, 93
Nitric oxide (NO)
effects on keratinocytes and fibroblasts, 286
MDP(Lysyl)GDP inhibiting production, 77
in wound healing, 1058, 1065
Nitric oxide synthase, inducible (iNOS)
in lupus erythematosus, 149
in wound healing, 1058, 1065
No Evidence of Human Herpesvirus 8 Infection in Patients with Paraneoplastic Pemphigus, Pemphigus Vulgaris, or Pemphigus Foliaceus, Cohen SS, Weinstein MD, Herndier BG, Anhalt GJ, Blauvelt A, 781
Non-Coherent Near Infrared Radiation Protects Normal Human Dermal Fibroblasts from Solar Ultraviolet Toxicity, Menezes S, Coulomb B, Lebreton C, Dubertret L, 629
Non-Invasive (Real-Time) Imaging of Histologic Margin of a Proliferative Skin Lesion *In Vivo*, *Letter*, González S, Rajadhyaksha M, Anderson RR, 538
Normalization of Epidermal Calcium Distribution Profile in Reconstructed Human Epidermis Is Related to Improvement of Terminal Differentiation and Stratum Corneum Barrier Formation, Vicanová J, Boelsma E, Mommaas AM, Kempenaar JA, Forslind B, Pallon J, Egelrud T, Koerten HK, Ponec M, 97
Notch pathway, 903
Novel COL7A1 Mutations in Dystrophic Forms of Epidermolysis Bullosa, Kon A, Pulkkinen L, Ishida-Yamamoto A, Hashimoto I, Uitto J, 534
Novel and *De Novo* Glycine Substitution Mutations in the Type VII Collagen Gene (COL7A1) in Dystrophic Epidermolysis Bullosa: Implications for Genetic Counseling, Rouan F, Pulkkinen L, Jonkman MF, Bauer JW, Cserhalmi-Friedman PB, Christiano AM, Uitto J, 1210
Novel Function of Metallothionein in Photoproduction: Metallothionein-Null Mouse Exhibits Reduced Tolerance Against Ultraviolet B Injury in the Skin, Hanada K, Sawamura D, Tamai K, Baba T, Hashimoto I, Muramatsu T, Miura N, Naganuma A, 582
A Novel Helix Termination Mutation in Keratin 10 in Annular Epidermolytic Ichthyosis, a Variant of Bullous Congenital Ichthyosiform Erythroderma, Suga Y, Duncan KO, Heald PW, Roop DR, 1220
Novel Homozygous and Compound Heterozygous COL17A1 Mutations Associated with Junctional Epidermolysis Bullosa, Floeth M, Fiedorowicz J, Schäcke H, Hammami-Hauasli N, Owaribe K, Trüeb RM, Bruckner-Tuderman L, 528
A Novel Homozygous Mutation Affecting Integrin α6 in a Case of Junctional Epidermolysis Bullosa with Pyloric Atresia Detected *In Utero* by Ultrasound Examination, *Letter*, Gache Y, Romero-Graillet C, Spadafora A, Lépinard C, Descamps P, Bardon CB, Ortonne JP, Meneguzzi G, 914
Novel Human Papillomavirus (HPV) DNA Sequences from Recurrent Cutaneous and Mucosal Lesions of a Stoma-Carrier, Wieland U, Gross GE, Hofmann A, Sohendra N, Berlien HP, Pfister H, 164
A Novel Human Type II Cytokeratin, K6hf, Specifically Expressed in the Companion Layer of the Hair Follicle, Winter H, Langbein L, Praetzel S, Jacobs M, Rogers MA, Leigh IM, Tidman N, Schweizer J, 955
Novel Insertional Mutation in Loricrin in Vohwinkel's Keratoderma, Armstrong DKB, McKenna KE, Hughes AE, 702
Novel K5 and K14 Mutations in German Patients with the Weber–Cockayne Variant of Epidermolysis Bullosa Simplex, Müller FB, Küster W, Bruckner-Tuderman L, Korge BP, 900
Novel *KIT* Gene Missense Mutation in a Japanese Family with Piebaldism, *Letter*, Nomura K, Hatayama I, Narita T, Kaneko T, Shiraishi M, 337
Novel Mutation in the L12 Domain of Keratin 5 in the Köbner Variant of Epidermolysis Bullosa Simplex, Galligan P, Listwan P, Siller GM, Rothnagel JA, 524
A Novel Point Mutation of the EDA Gene in a Japanese Family with Anhidrotic Ectodermal Dysplasia, *Letter*, Yotsumoto S, Fukumaru S, Matsushita S, Oku T, Kobayashi K, Saheki T, Kanzaki T, 1247
Novel Premature Termination Codon Mutations in the Laminin γ2-Chain Gene (LAMC2) in Herlitz Junctional Epidermolysis Bullosa, *Letter*, Takizawa Y, Shimizu H, Pulkkinen L, Nonaka S, Kubo T, Kado Y, Nishikawa T, Uitto J, 1234
N-ras Mutations are Common in Melanomas from Sun-Exposed Skin of

Humans but Rare in Mucosal Membranes or Unexposed Skin, Jiveskog S, Ragnarsson-Olding B, Platz A, Ringborg U, 757
Nuclear factor κB, 399
Nuclear hormone receptors, in fetal rat skin, 429

O

Oligonucleotides
percutaneous penetration, 1166
RNA–DNA, gene targeting, 1172
On the Effect of Estrogen Receptor Agonists and Antagonists on the Mouse Hair Follicle Cycle, *Letter*, Smart RC, 175
On the Morphogenesis of a Psoriatic Lesion, *Letter*, Heenen M, 174
μ-Opiate receptors, in human keratinocytes, 292
Oral mucosa
naked plasmid DNA expression, 605
wounds, cell surface glycoconjugates, 592
Overexpression of Bcl-2 in Kaposi's Sarcoma-Derived Cells, Simonart T, Degraef C, Noel J-C, Fokan D, Zhou L, Pradier O, Ducarme M, Schandene L, Van Vooren J-P, Parent D, Heenen M, 349
Oxazolone-induced ear inflammation, 77, 87
Oxidative Activity of the Type 2 Isozyme of 17β-Hydroxysteroid Dehydrogenase (17β-HSD) Predominates in Human Sebaceous Glands, Thiboutot D, Martin P, Volikos L, Gilliland K, 390
Oxidative stress, role of ferritin, 159

P

$p16^{INK4a}$ (CDKN2a) mutations, 269, 919, 1202
$p19^{ARF}$ mutations, 1202
p53
in curcumin-induced apoptosis, 656
-deficient mice, calorie restriction, 292
UV-mediated regulation, 380
in v-Ha-*ras* transgenic Tg.AC mouse, 445
Palmoplantar hyperkeratosis, 893
Palmoplantar keratoderma
epidermolytic (EPPK), keratin K9 mutations, 1207
mutilating, cornified cell envelope formation, 133
Paraneoplastic pemphigus (PNP), 308, 338, 781, 1237
Parathyroid hormone-related peptide (PTHrP), in epidermal differentiation, 1122
Partial Purification and Characterization of Two Distinct Types of Caspases from Human Epidermis, Takahashi T, Ogo M, Hibino T, 367
Pathology of the Skin with Clinical Correlations on CD-ROM, *Book Review*, 711
Patients with Allergic Contact Dermatitis to Nickel and Nonallergic Individuals Display Different Nickel-Specific T Cell Responses. Evidence for the Presence of Effector $CD8^+$ and Regulatory $CD4^+$ T Cells, Cavani A, Mei D, Guerra E, Corinti S, Giani M, Pirrotta L, Puddu P, Girolomoni G, 621
Pemphigus
foliaceus, 781
paraneoplastic (PNP), 308, 338, 781, 1237
vulgaris, 781
Periplakin, in paraneoplastic pemphigus, 308, 338, 1237
Peroxisome proliferator-activated receptors (PPAR), 429, 1116
Perturbed Epidermal Pterin Metabolism in Hermansky–Pudlak Syndrome, Schallreuter KU, Beazley WD, Hibberts NA, Swanson NN, Pittelkow MR, 511
Phenotypic Characterization of Human Skin Mast Cells by Combined Staining with Toluidine Blue and CD Antibodies, Ghannadan M, Baghestanian M, Wimazal F, Eisenmenger M, Latal D, Kargül G, Walchshofer S, Sillaber C, Lechner K, Valent P, 689
(Pheo)Melanin Photosensitizes UVA-Induced DNA Damage in Cultured Human Melanocytes, Wenczl E, Van der Schans GP, Roza L, Kolb RM, Timmerman AJ, Smit NPM, Pavel S, Schothorst AA, 678
Pheomelanins, 422, 678
The pH Gradient over the Stratum Corneum Differs in X-Linked Recessive and Autosomal Dominant Ichthyosis: A Clue to the Molecular Origin of the "Acid Skin Mantle"?, Ohman H, Vahlquist A, 674
Phorbol ester, 77, 87, 1098
Photoactivated Hypericin is an Anti-Proliferative Agent that Induces a High Rate of Apoptotic Death of Normal, Transformed, and Malignant T Lymphocytes: Implications for the Treatment of Cutaneous Lymphoproliferative and Inflammatory Disorders, Fox FE, Niu Z, Tobia A, Rook AH, 327
Photoaging
endogenous skin fluorescence, 776
mitochondrial DNA changes, 709
structural protein and hydration changes, 1129
Photocarcinogenesis and Susceptibility to UV Radiation in the v-Ha-*ras* Transgenic Tg.AC Mouse, Trempus CS, Mahler JF, Ananthaswamy HN, Loughlin SM, French JE, Tennant RW, 445
Photochemotherapy, PUVA *see* Psoralen and UVA (PUVA) photochemotherapy
Photomechanical Transcutaneous Delivery of Macromolecules, Lee S, McAuliffe DJ, Flotte TJ, Kollias N, Doukas AG, 925
Photoproducts, (6–4), 354
Photoprotection, in chimeric human epidermal reconstructs, 1103
Piebaldism, *KIT* gene mutation, 337
Pigmentation
in chimeric human epidermal reconstructs, 1103
melanocortin 1 receptor variants and, 119
in skin equivalent models, 810
Placenta, epidermodysplasia verruciformis-associated HPV, 333
Plakins, in paraneoplastic pemphigus, 308, 338, 1237
Plasmin, in wound healing, 1140
Plasminogen, in venous leg ulcers, 1140
Platelet-derived growth factor (PDGF), in mast cell growth, 213
Plectin, in paraneoplastic pemphigus, 308
Poly(ADP-ribose) polymerase, effects of sulfur mustard, 64
Porcine skin
dermal substitute in wound repair, 989
methylene blue delivery, 457
retrovirus-mediated gene transfer, 492
ultrasonic monitoring of cryosurgery, 308
Porphyria
cutanea tarda, 1242
ferrochetalase gene mutations, 406, 540
Possible Vertical Transmission of Human Papillomavirus Genotypes Associated with Epidermodysplasia Verruciformis, Favre M, Majewski S, De Jesus N, Malejczyk M, Orth G, Jablonska S, 333
Potassium (K^+) epidermal gradient, after barrier disruption, 1198
PR-39, 739
Predominant Expression of CD44 Splice Variant v10 in Malignant and Reactive Human Skin Lymphocytes, Wagner SN, Wagner C, Reinhold U, Funk R, Zöller M, Goos M, 464
Premature infants, skin barrier function, 320
Prevalence of Antibodies Against Virus-Like Particles of *Epidermodysplasia Verruciformis*-Associated HPV8 in Patients at Risk of Skin Cancer, Stark S, Petridis AK, Ghim S, Jenson AB, Bavinck JNB, Gross G, Stockfleth E, Fuchs PG, Pfister H, 696
Problems Related to Circadian Rhythms in Human Skin and their Validation, *Letter*, Reinberg A, Le Fur I, Tschachler E, 708
Procollagen type I, in systemic sclerosis fibroblasts, 1023
Pro-macrophage-stimulating protein (MSP), 573
Proopiomelanocortin, in human epidermis/epidermal cells, 485
Prostaglandin E_2, biosynthesis in keratinocytes, 634
Protease inhibitor, SLP1, 996
Protection Factors are Ratios, *Letter*, Young A, Walker SL, 912
Protein Gene Product 9.5 is Expressed by Fibroblasts in Human Cutaneous Wounds, Olerud JE, Chiu DS, Usui ML, Gibran NS, Ansel JC, 565
Protein kinase C
cholecalciferol effects, 634
signaling in keratinocytes, 762
Proteins, in aged and photoaged human skin, 1129
Proteolytic Cleavage and Activation of pro-Macrophage-Stimulating Protein and Upregulation of its Receptor in Tissue Injury, Nanney LB, Skeel A, Luan J, Polis S, Richmond A, Wang M-H, Leonard EJ, 573
Proton-induced X-ray emission (PIXE), 1198
Proton probe X-ray microanalysis, 97
Protoporhyria, erythropoietic, 406, 540
Protoporphyrin IX, in psoriatic plaques, 586
PRX-2 gene, in scarless fetal wound repair, 57
Psoralen and UVA (PUVA) photochemotherapy
anti-proliferative effects, 399
-associated skin cancers, 123
HPV5 detection in psoriasis and, 912
Psoriasis
β1 integrin activation epitopes, 19
confocal microscopy of lesions, 538
connexin expression in keratinocytes, 72

HPV5 infection, 541, 912
interferon-γ-producing cells, 1072
interleukin-10 treatment, 1235
interleukin-12 expression, 1053
morphology of lesions, 174
plaque autofluorescence, 586
Psoriatic Plaques Exhibit Red Autofluorescence that is Due to Protoporphyrin IX, Bissonnette R, Zeng H, McLean DI, Schreiber WE, Roscoe DL, Lui H, 586
Pterins, 511, 545, 1058
Pterins in Human Hair Follicle Cells and in the Synchronized Murine Hair Cycle, Schallreuter KU, Beazley WD, Hibberts NA, Tobin DJ, Paus R, Wood JM, 545
PTHrP Regulates Epidermal Differentiation in Adult Mice, Foley J, Longely BJ, Wysolmerski JJ, Dreyer BE, Broadus AE, Philbrick WM, 1122
Pulsed Electric Field Enhances Cutaneous Delivery of Methylene Blue in Excised Full-Thickness Porcine Skin, Johnson PG, Gallo SA, Hui SK, Oseroff AR, 457
PUVA Inhibits DNA Replication, but not Gene Transcription at Nonlethal Doses, Lüftl M, Röcken M, Plewig G, Degitz K, 399
PUVA therapy *see* Psoralen and UVA (PUVA) photochemotherapy
PUVA Therapy and Human Papillomavirus Type 5 Detection in Psoriasis, *Letter*, Mahe E, Descamps V, 912
Pyloric atresia, junctional epidermolysis bullosa with, 914
Pyoderma gangrenosum, neutrophil defects, 154, 259
Pyrimidine dimers, inducing melanogenesis, 472

Q

Qa-1/Qa-2, in murine hair follicles, 25

R

Rac1 Mediates Dendrite Formation in Response to Melanocyte Stimulating Hormone and Ultraviolet Light in a Murine Melanoma Model, Scott GA, Cassidy L, 243
Raman spectroscopy, aged and photoaged human skin, 1129
Rat
dermal papilla cell lines, 767
fetal, skin development, 429
FGF-5 expression, 963
Receptor for hyaluronate-mediated motility (RHAMM), 227
Recessive X-Linked Ichthyosis: Role of Cholesterol Sulfate Accumulation in the Barrier Abnormality, Zettersten E, Man M-Q, Sato J, Denda M, Farrell A, Ghadially R, Williams ML, Feingold KR, Elias PM, 784
5α-Reductase inhibitors, novel, 273
Reduction of Intrafollicular Apoptosis in Chemotherapy-Induced Alopecia by Topical Calcitriol-Analogs, Schilli MB, Paus R, Menrad A, 598
Reduction in Number and Morphologic Alterations of Langerhans Cells after UVB Radiation *In Vivo* are Accompanied by an Influx of Monocytoid Cells into the Epidermis, Bacci S, Romagnoli P, Streilein JW, 1134
Renal transplant recipients, HPV8 antibodies, 696
Retinoic acid, *Fringe* upregulation, 903
all-*trans*-Retinoic acid
downregulation of VEGF production, 907
metabolism by fibroblasts, 478
regulation, 434
Retinoic acid 4-hydroxylase, 434
Retinoic acid receptors
in cultured keratinocytes, 1109
α and γ, in glandular metaplasia, 206
regulation of all-*trans*-retinoic acid, 434
Retinoic Acid Receptors Regulate Expression of Retinoic Acid 4-Hydroxylase that Specifically Inactivates All-*Trans* Retinoic Acid in Human Keratinocyte HaCaT cells, Marikar Y, Wang Z, Duell EA, Petkovich M, Voorhees JJ, Fisher GJ, 434
Retinoic acid-responsive element, 1109
Retinoids
regulation of hCRABPII, 1109
VEGF downregulation, 907
Retinoids Downregulate Vascular Endothelial Growth Factor/Vascular Permeability Factor Production by Normal Human Keratinocytes, Weninger W, Rendl M, Mildner M, Tschachler E, 907
Retinol, in dermal fibroblasts, 478
Retrovirus-Mediated Transduction of Porcine Keratinocytes in Organ Culture, Ghazizadeh S, Harrington R, Garfield J, Taichman LB, 492
Retrovirus vectors, gene transfer to porcine keratinocytes, 492
ret-transgenic mice, 640
Reverse transcriptase-polymerase chain reaction (RT-PCR), 485, 668, 1053, 1184
RNA–DNA oligonucleotide, 1172
Role of *Staphylococcus Aureus* Surface-Associated Proteins in the Attachment to Cultured HaCaT Keratinocytes in a New Adhesion Assay, Mempel M, Schmidt T, Weidinger S, Schnopp C, Foster T, Ring J, Abeck D, 452
RON receptor, in wounds, 573
Ruby lasers, hair removal, 107

S

S100 calcium-binding proteins, 879, 1092
Scatter factor (SF), 1160
SCF/KIT Pathway Plays a Critical role in the Control of Normal Human Melanocyte Homeostasis, Grichnik JM, Burch JA, Burchette J, Shea CR, 233
SCID mice, chemokine-mediated T cell recruitment, 1040
Seasonal exacerbations, inflammatory dermatoses, 873
Sebaceous glands
17β-hydroxysteroid dehydrogenase, 390
lipid metabolism, 139, 199
novel 5α-reductase inhibitors, 273
Sebum, lipid synthesis, 199
Secretory leukocyte protease inhibitor (SLP1), 996
Serine proteases, in wound fluid, 1140
A Serotonin-Like Immunoreactivity is Present in Human Cutaneous Melanocytes, Johansson O, Liu P-Y, Bondesson L, Nordlind K, Olsson MJ, Löntz W, Verhofstad A, Liang Y, Gangi S, 1010
Severe Palmo-Plantar Hyperkeratosis in Dowling–Meara Epidermolysis Bullosa Simplex Caused by a Mutation in the Keratin 14 Gene (*KRT14*), Shemanko CS, Mellerio JE, Tidman MJ, Lane EB, Eady RAJ, 893
Sho-saiko-to (Japanese herbal medicine), 640
The Similarity of Action Spectra for Thymine Dimers in Human Epidermis and Erythema Suggests that DNA is the Chromophore for Erythema, Young AR, Chadwick CA, Harrison GI, Nikaido O, Ramsden J, Potten CS, 982
(6–4) photoproducts, 354
Sjögren's syndrome, 1189
Skin atrophy, tacrolimus ointment and, 396
Skin cancer
cholesterol sulfate changes, 973
HPV8 antibodies and, 696
IL-1α and IL-1β and tumor antigen presentation, 609
PUVA-associated, HPV DNA, 123
UV-induced immunosuppression and, 706
v-Ha-*ras* transgenic Tg.AC mouse, 445
Skin equivalent models, 810
Skin grafts
human skin onto SCID mice, 1040
mouse model of alopecia areata, 797
skin equivalent models, 810
Skin organ culture
retrovirus-mediated gene transfer, 492
wound healing, 251
Skin substitutes, 989
Skin type
melanocortin 1 receptor variants and, 119
melanoma susceptibility and, 218
Solar UV radiation
N-ras mutations and, 757
protective effects of infrared radiation, 629
Somatic Mutations of the MEN1 Tumor Suppressor Gene Detected in Sporadic Angiofibromas, *Letter*, Böni R, Vortmeyer AO, Pack S, Park W-S, Burg G, Hofbauer G, Darling T, Liotta L, Zhuang Z, 539
Sphingomyelinase, in atopic dermatitis, 733
Squamous cell carcinoma, PUVA-associated, HPV DNA, 123
Squamous cells, in basal cell carcinoma, 173
Stanozolol, in wound healing, 1193
Staphylococcus aureus, surface proteins, 452
Steel factor *see* Stem cell factor
Stem cell factor (SCF), 213, 233
ligand *see* KIT

Stem cells, epidermal, telomerase activity, 1045
Stereologic image analysis, eumelanins and pheomelanins, 422
Stimulation of Collagen Synthesis by the Anabolic Steroid Stanozolol, Falanga V, Greenberg AS, Zhou L, Ochoa SM, Roberts AB, Falabella A, Yamaguchi Y, 1193
Stoma patient, HPV DNA in leukoplakial lesions, 164
Stratum corneum
in dry environment, 858
glucocorticoid-mediated maturation, 440
pH gradient in ichthyosis, 674
in premature infants, 320
protease-mediated desquamation, 189
reconstructed human epidermis, 97
regional differences, 385
see also Barrier function, skin
Stress waves, photomechanical, 925
Sulfur Mustard Induces Markers of Terminal Differentiation and Apoptosis in Keratinocytes Via a Ca^{2+}-Calmodulin and Caspase-Dependent Pathway, Rosenthal DS, Simbulan-Rosenthal CMG, Iyer S, Spoonde A, Smith W, Ray R, Smulson ME, 64
Sunburn cells, in metallothionein knockout mice, 582
Sunscreens, immunologic protection, 340, 912
Susceptibility to Melanoma: Influence of Skin Type and Polymorphism in the Melanocyte Stimulating Hormone Receptor Gene, Ichii-Jones F, Lear JT, Heagerty AHM, Smith AG, Hutchinson PE, Osborne J, Bowers B, Jones PW, Davies E, Ollier WER, Thomson W, Yengi L, Bath J, Fryer AA, Strange RC, 218
Sweat glands, apocrine, lipid metabolism, 139
Systemic sclerosis, HSP47 and procollagen type I overexpression, 1023

T

Tacrolimus Ointment does not Affect Collagen Synthesis: Results of a Single-Center Randomized Trial, Reitamo S, Rissanen J, Remitz A, Granlund H, Erkko P, Elg P, Autio P, Lauerma AI, 396
TAP-1, in murine hair follicles, 25
Tape stripping, 385, 674, 722
Tc2 cells, in atopic dermatitis, 1079
T cell receptors, repertoire in melanoma, 1085
T cells
chemokines recruiting, 1040
dermal dendritic cell association, 841
in diabetic venous ulcers, 850
γδ, in hair follicles of mice, 7
hypericin-induced apoptosis, 327
interferon-γ-producing, in psoriasis, 1072
keratinocyte adhesion, 650
nickel-specific, 360, 621
see also $CD4^+$ T cells; $CD8^+$ T cells
Telomerase is Not an Epidermal Stem Cell Marker and is Downregulated by Calcium, Bickenbach JR, Vormwald-Dogan V, Bachor C, Bleuel K, Schnapp G, Boukamp P, 1045
Tenascin-C knockout mice, 930
Testosterone, in beard and scalp dermal papilla cells, 727
(6R) 5,6,7,8-Tetrahydrobiopterin ($6BH_4$), 511, 545, 1058
Th2 cells, in atopic dermatitis, 1079
Thymidine Dinucleotides Induce S Phase Cell Cycle Arrest in Addition to Increased Melanogenesis in Human Melanocytes, Pedeux R, Al-Irani N, Marteau C, Pellicier F, Branche R, Ozturk M, Franchi J, Doré J-F, 472
Thymine dimers, 472, 936, 982
Thyroid hormone, fetal rat skin development and, 429
Tissue inhibitors of metalloproteinases (TIMP), 822
α-Tocopherol acetate, hydrolysis, 302
Toluidine blue, mast cell staining, 689
Transdermal delivery
drugs, 39, 457, 925
oligonucleotides, 1166
Transforming growth factor-β (TGF-β), in hair cycle, 948
Transforming growth factor-β1 (TGF-β1)
latent, 559
stanozolol action and, 1193
Transgenic mice
BMP-6, 1145
collagenase, 1029
PTHrP, 1122
wt, 640
vascular endothelial growth factor (VEGF), 1
v-Ha-*ras* Tg.Ac, 445
Transglutaminase
1, gene regulation, 1098
activity in keratinocytes, 634
Transient Bullous Dermolysis of the Newborn Associated with Compound Heterozygosity for Recessive and Dominant COL7A1 Mutations, Hammami-Hauasli N, Raghunath M, Küster W, Bruckner-Tuderman L, 1214
Treatment of Psoriasis with Interleukin-10, *Letter*, Reich K, Brück M, Gräfe A, Vente C, Neumann C, Garbe C, 1235
Trinitrochlorobenzene (TNCB), 44
Trypsin, cholesterol sulfate inhibition, 189
Tumor antigens, role of IL-1α and IL-1β in presentation, 609
Tumor necrosis factor-α (TNF-α)
in atopic dermatitis, 1184
in oxazolone-induced contact sensitivity, 86
Tyrosinase-related protein-2 (TRP-2), 662, 1034
Tyrosine kinase C, in hair follicle morphogenesis, 279

U

Ubiquitin, in cutaneous wounds, 565
Ulcerative dermatitis, in p53-deficient mice, 292
Ultrasound, cryosurgery monitoring, 308
Ultraviolet A (UVA) radiation
-induced DNA damage, role of melanin, 678
melanocyte thymine dimers, 936
p53 and *Bcl-2* expression and, 380
Ultraviolet B (UVB) radiation
chimeric human epidermal reconstructs, 1103
complement protein synthesis and, 683
endogenous skin fluorescence and, 776
endothelial cell cytokine production and, 50
erythema, DNA as chromophore, 982
heat shock protein-72 expression after, 194
-induced cutaneous angiogenesis, 864
inducing IL-10 expression by macrophages, 31
Langerhans cells, effects on, 31, 373, 1134
melanocyte thymine dimers, 936
metallothionein-mediated protection, 582
p53 and *Bcl-2* expression and, 380
α-tocopherol acetate hydrolysis and, 302
Ultraviolet Light and Interleukin-10 Modulate Expression of Cytokines by Transformed Human Dermal Microvascular Endothelial Cells (HMEC-1), Scholzen T, Hartmeyer M, Fastrich M, Brzoska T, Becher E, Schwarz T, Luger TA, 50
Ultraviolet (UV) radiation
DNA damage-mediated IL-6 production, 354
immunosuppression induced by, 706
inducing ferritin, 159
in lupus erythematosus, 149
in melanocyte dendrite formation, 243
solar *see* Solar UV radiation
v-Ha-*ras* transgenic Tg.AC mouse, 445
Upregulation of Connexin 26 Between Keratinocytes of Psoriatic Lesions, Labarthe M-P, Bosco D, Saurat J-H, Meda P, Saloman D, 72
Urocanic Acid Binds to GABA but not to Histamine (H_1, H_2, or H_3) Receptors, *Letter*, Laihia JK, Attila M, Neuvonen K, Pasanen P, Tuomisto L, Jansen CT, 705
Urticaria pigmentosa, 1227
UV Immunosuppression and Skin Cancer, *Letter*, Noonan F, De Fabo EC, 706

V

Vaccines
DNA-based, 183
melanoma, 662
Variable Monilethrix Phenotype Associated With a Novel Mutation, Glu402Lys, in the Helix Termination Motif of the Type II Hair Keratin hHb1, Winter H, Labrèze C, Chapalain V, Surlève-Bazielle JE, Mercier M, Rogers MA, Taieb A, Schweizer J, 169
Vascular endothelial growth factor (VEGF/VPF)
downregulation by retinoids, 907
hepatocyte growth factor induced expression, 1160

transgenic mice, skin leukocytes, 1
Vascular permeability factor (VPF) *see* Vascular endothelial growth factor
Venous ulceration, 822, 850, 1140
Virus-like particles, HPV5, 696
Vitamin A, in dermal fibroblasts, 478
Vitamin D receptor, anchorage-dependent expression, 551
Vitamin E, ester hydrolysis, 302
Vitiligo, anti-tyrosinase-related protein-2 antibodies, 1034
Vohwinkel's keratoderma, novel loricrin mutation, 702

W

W-7, inhibiting sulfur mustard effects, 64
Water Diffusion Characteristics of Human Stratum Corneum at Different Anatomical Sites *In Vivo*, Schwindt DA, Wilhelm KP, Maibach HI, 385
Water and Protein Structure in Photoaged and Chronically Aged Skin, Gniadecka M, Nielsen OF, Wessel S, Heidenheim M, Christiansen DH, Wulf HC, 1129
Water, transepidermal loss
in dry environment, 858
in premature infants, 320
regional differences, 385
Wound Fluid from Venous Leg Ulcers Degrades Plasminogen and Reduces Plasmin Generation by Keratinocytes, Hoffman R, Starkey S, Coad J, 1140
Wound healing
antimicrobial peptides, 739
BMP-6 and, 1145
in collagenase transgenic mice, 1029
dermal substitutes, 989
in diabetes, 850
fetal, homeobox gene modulation, 57
in human skin organ culture model, 251
keratinocyte migration, 751
macrophage-stimulating protein expression, 573
nitric oxide and, 1058, 1065
oral mucosa, 592
plasmin and, 1140
protein gene product 9.5, 565
stanozolol and, 1193

X

Xenografts, human skin, SCF/KIT pathway, 233
Xeroderma Pigmentosum Group C Splice Mutation Associated with Autism and Hypoglycinemia, Khan SG, Levy HL, Legerski R, Quackenbush E, Reardon JT, Emmert S, Sancar A, Li L, Schneider TD, Cleaver JE, Kraemer KH, 791